

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
College			
1	Land details (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details 41780.Sq.ft./Sq.mtr. (Applicable only to Private Colleges) . (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office, Administrative Block as per M.S.R..	Yes	Adequate
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodiagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Yes	Adequate
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	Yes	Adequate
	No. of books added in last year: 210 No. of Journals titles added in last year : 16 [Bills shall be verified by the Committee.]	Yes	Adequate
	Digital Library /e – Library availability	Yes	Adequate
5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.) alongwith AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Yes	Adequate
6	Conference Room for Faculty: (as per M.S.R.)	Yes	Adequate
7	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	Yes	Adequate
8	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	Yes	Adequate
9	Core Laboratories: (50 Sq.Ft./Student) (as per M.S.R.) Exercise Physiology & Fitness : Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	Yes	Adequate
10	Physiotherapy Museum: (as per M.S.R.) (Desirable)	Yes	Adequate
11	Yoga / Clinical Skill Laboratory: (60 Sq.Ft./Student) (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Yes	Adequate
12	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate

13	Residential quarter facility for staff: Teaching, Non-teaching, Paramedical & Nursing staff	Yes	Adequate
14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility,.	Yes	Adequate
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 			

HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : 1.Spandan Heart & Child Hospital, Chandrapur 2. Wasade Hospital, Chandrapur 3.Shri. Sai Divine Care Hospital, Chandrapur 4. Bukkawar Hospital, Chandrapur 5.CHL Multispecialty Hospital, Chandrapur 6.Christ Hospital, Chandrapur 7. Wasade Nursing Home, Chandrapur	Yes	Adequate
	Bed Strength :100 +460		
	Number of beds registered as per BNH act:		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.)	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional :	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		
19	Ambulances : Owned, Hired		Owned - 2
	Any other		
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 			




 Dean/ Principal Stamp & Signature
 Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur

ANEXURE – II

Land Details



महाराष्ट्र शासन

नगर रचना आणि मूल्यनिर्धारणविभाग,

सहायकसंचालक, नगर रचना, चंद्रपूर यांचे कार्यालय

प्रशासकीय इमारत, दुसरा मजला, खोली क्र. २३, चंद्रपूर (पिन नं ४४२४०१)

दुरध्वनी क्रमांक ०७१७२-२५०८६०

email ID- tp_chandrapur@rediffmail.com

जा.क्र.अभि./सिमांकन/मौ. वांढरी/ता.चंद्रपूर/ससनरचं/ चंद्रपूर, दिनांक / ०५/२०२३
प्रति,

तहसिलदार,

चंद्रपूर.

विषय :- मौजा वांढरी, ता. चंद्रपूर येथील स.क्र. ५१/५३/१/ब, आराजी ५.५१ हे.आर जागेचे
सौभाग्यन प्रयोजनार्थ अज्ञातपत्र प्रत्येकप्रमाणाने (सुधारीत)

अर्जदार :- श्री. इंद्रसर्नासिंह चतुरसिंह व मनोरमासिंह इंद्रसर्नासिंह, रा. चंद्रपूर.

संदर्भ :- आपले पत्र क्र. कावि/अका/प्र-१/तह/२०२३/१२७३, दि. २१/०३/२०२३

विषयांकित जागा मंजूर प्रादेशिक योजना चंद्रपूर - बल्लारपूर नुसार शेती / ना-विकास विभागात समाविष्ट असून, प्रादेशिक योजनेसाठी लागू असलेल्या एकत्रिकृत विकास नियंत्रण व प्रोत्साहन नियमावलीतील तरतुदीनुसार विषयांकित जागेत वाणिज्य शैक्षणिक हा वापर अनुज्ञेय आहे. संदर्भिय पत्रान्वये अभिप्रायार्थ प्राप्त विषयांकित जागेतील वाणिज्य शैक्षणिक प्रयोजनार्थ अभिन्यास तांत्रिकदृष्ट्या सर्वसाधारणपणे योग्य असल्यामुळे, सिमांकनासाठी (Recommended for Demarcation) तात्पुरती मंजूरीची शिफारस खालील अटी व शर्तीस अधीन राहून करण्यात येत आहे.

अटी व शर्ती :-

- १) एकत्रिकृत विकास नियंत्रण व प्रोत्साहन नियमावलीच्या तरतुद क्र. २.६.१ (iii) नुसार अभिन्यासाची प्रत्यक्ष जागेवर उपअधिक्षक, भुमी अभिलेख मार्फत आखणी करण्यात यावी. आखणी केल्यानंतर उपअधिक्षक, भुमी अभिलेख यांनी प्रमाणीत केलेला सिमांकनाचा मुळ नकाशा व ४ निल मुद्रीत प्रती या कार्यालयास विहित मार्गाने सादर कराव्यात.
- २) उक्त नियमावलीतील तरतुद क्र. ३.३.४ नुसार सदरहू अभिन्यासालगतच्या जमिनीतील मंजूर अभिन्यासातील रस्त्यांची विषयांकित अभिन्यासातील रस्त्याशी योग्य समन्वय साधण्यात यावा व अभिन्यासामधील रस्त्याचे खडीकरण करण्यात यावे.
- ३) उक्त नियमावलीतील तरतुद क्र. २.७.१ नुसार अंतिम मंजूरीची शिफारस करणेपूर्वी अभिन्यासातील रस्ते, नाल्या व इतर नागरी सुविधांचा विकास करणे आवेदकास बंधनकारक राहिल.
- ४) उक्त नियमावलीतील तरतुद क्र. ३.६ नुसार महाराष्ट्र विद्युत वितरण विभागाकडून सदर प्रकरणी इलेक्ट्रीक सबस्टेशन (Electric Sub-Station) करीता भुखंड प्रस्तावित करणे आवश्यक राहिल किंवा कसे याबाबतची खातरजमा करून त्यानुसार योग्य स्थानावर किमान आवश्यक क्षेत्राचे भुखंड प्रस्तावित करणे आवश्यक राहिल.
- ५) उक्त नियमावलीतील तरतुद क्र. १३.४.१ (ii) नुसार सदर अभिन्यासातील जल व मल निसारण करीता Plumbing Line, Draining Line, Chambers हे वेगळ्या रंगाने दर्शवून Service Plan मंजूरी करीता नियोजन प्राधि करणाकडे सादर करणे आवश्यक राहिल.
- ६) सदरची शिफारस ही फक्त सिमांकनासाठी (Recommended for Demarcation) केलेली आहे. त्याला अकृषकची शिफारस म्हणून गृहित धरता येणार नाही. तसेच जागेवर असलेले बांधकाम नियमीत करण्याची शिफारस म्हणून गृहित धरता येणार नाही.

(२)


- ७) विषयांकित अभिन्यासाच्या हद्दी, मोजमापे, क्षेत्रफळ, मालकी हक्क याबाबत भविष्यात काही वाद उद्भवल्यास त्यानुसार अर्जदार यांनी सुधारित अभिन्यास मंजूर करणे बंधनकारक राहिल.
- ८) एकत्रिकृत विकास नियंत्रण व प्रोत्साहन नियमावलीतील तरतुद क्र. २.७.२ नुसार अभिन्यासांतर्गतची करावयाची विकास कामे जसे रस्ते, गटारी, पाणीपुरवठा व्यवस्था, विद्युत दिवे व्यवस्था, खुल्या जागेचा विकास करणे विकासकास बंधनकारक राहिल.
- ९) प्रस्तावित अभिन्यास नकाशावरती अर्जदार यांनी स्वाक्षरी केलेली असून, सदर स्वाक्षरी व मालकी हक्क याबाबत महसूल विभागाने आपले स्तरावर खात्री करणे आवश्यक आहे.
- १०) सदरचा अभिन्यास सुधारित करावयाचा झाल्यास अभिन्यास सुधारित करण्याची कारणे नमूद करणे आवश्यक राहिल.
- ११) सदर अभिन्यासाला तात्पुरती मंजूरी मिळाल्यावर त्याची एक प्रत तालुका उपअधिक्षक, भूमी अभिलेख कार्यालयास पाठवून १ वर्षांचे आत मोजणी करून घेणे बंधनकारक राहिल अन्यथा अभिन्यास रद्द समजण्यात येईल.
- १२) सदर अभिन्यासास केलेली मंजूरीची शिफारस, ही शिफारस केल्यापासून एक वर्ष कालावधीसाठी वैध राहिल. तदनंतर त्यास नियमानुसार मुदतवाढ घेणे बंधनकारक राहिल.
- १३) अर्जदार यांनी सादर केलेली माहिती अथवा कागदपत्रे खोटी अथवा दिशाभूल करणारी असल्यास सदर शिफारस रद्द समजण्यात यावी.
- १४) विषयांकित प्रकरणी चटई क्षेत्र निर्देशांक ०.२० इतका अनुज्ञेय राहिल.
- १५) सदरची शिफारस ही फक्त अभिन्यासापुर्ती मर्यादित असून, महसूल विभागाकडून अंतिम आदेश पारित झाल्यानंतरच विषयांकित जागेवरील अस्तित्वातील बांधकामाकरीता रितसर परवानगी घेणे अर्जदारास बंधनकारक राहिल.

या कार्यालयाच्या अभिलेखार्थ शिफारस केलेल्या नकाशाची एक प्रत, ७/१२ उतारा, मोजणी नकाशाची मूळ प्रत ठेवून घेऊन, शिफारस केलेल्या अभिन्यासाच्या ३ प्रती सोबत परत पाठविण्यात येत आहे.

सहपत्र :- वरीलप्रमाणे.

(अ.म.पॉलेवार)

सहायक संचालक, नगर रचना,
चंद्रपूर.



कार्यालय गटग्रामपंचायत नागाळा (सि)

ISO 9001:2015

पं.स. चंद्रपूर, जि.प. चंद्रपूर



जा.क्र/बांधकाम नाहरकर्त/२१६/२०२२
कार्यालय गटग्रामपंचायत नागाळा (सि)
दिनांक :- २५/१०/२०२२

प्रति,

श्री. इंद्रसेनसिंह चतुरसिंह
अध्यक्ष श्री गुरुकृपा शिक्षण प्रसारक मंडळ
वांदरी, ता. जि. चंद्रपूर

विषय :- बांधकाम परवानगी बाबत.

- संदर्भ :- १) शासन परिपत्रक, ग्रामविकास विभाग क्रमांक व्हीपीएम २०२१/प्र.क्र.६५/प.रा.४ दिनांक १८ मार्च २०२१
२) महाराष्ट्र ग्रामपंचायत आधोनयम १९५९ च कलम ५२(१)
३) वरील विषयाबाबतचा आपला अर्ज दिनांक २१/१०/२०२२
४) ग्रामपंचायत मासिक सभा ठराव क्र. ७/३ दिनांक २१/१०/२०२२

आपणास याद्वारे कळविण्यात येते कि, वरील संदर्भीय १ शासन परिपत्रकामध्ये नमून केलेल्या खालील कागदपत्राची पूर्तता करीत असल्याने १) जागेच्या मालकीची कागदपत्रे, २) मंजूर लेआउट, ३) बिल्डींग प्लान, ४) विकास शुल्क, ५) आर्किटेक्चर विहित नमुन्यातील दाखला इत्यादी. त्या अर्थी आपणास मा. उपविभागीय अधिकारी, चंद्रपूर यांचा रा. मा. क्रमांक.- ५४/एन.ए.पी - ३४/२००६-२००७ दिनांक ०६/०२/२००७ अन्वये मौजा वांदरी येथील स. नं. ५१/५३/१ ब मधील क्षेत्र ५.५१ हे. आर. या जागेवरील बांधकाम नकाशास खालील अटी व शर्तीस अधीन राहून ग्रा. पं. मासिक सभा ठराव क्र. ७/३ दिनांक २१/१०/२०२२ नुसार बांधकामास मंजुरी प्रदान करण्यात येत आहे.

बांधकाम आराखडे मंजूर करावयाच्या जमिनीचे वर्णन.

गावाचे नाव	तालुका	सर्व्हे क्र.	क्षेत्र
वांदरी	चंद्रपूर	५१/५३/१ ब	एकूण एरिया : ५.५१ हे. आर. एकूण बांधकाम : ५३४१४.०० चौ.फु

अटी व शर्ती

- विषयांकित जागेच्या अभिन्यासाला मा. उपविभागीय अधिकारी, चंद्रपूर यांचा रा. मा. क्रमांक.- ५४/एन.ए.पी - ३४/२००६-२००७ दिनांक ०६/०२/२००७ अन्वये निवास प्रयोजनार्थ अकृषक परवानगी प्रदान करण्यात आली असून या अभिन्यासातील भूखंडावर करण्यात येणाऱ्या बांधकामास सदर आदेशातील अटी व शर्ती बंधनकारक राहिल.
- या बांधकाम परवान्याची मुदत आदेश प्राप्त झाल्याच्या तारखेपासून एक वर्षाची आहे. या कालावधीत बांधकाम पूर्ण न झाल्यास मुदत संपण्यापूर्वी या प्रमाणपत्राचे नुतनीकरण करण्यात यावे. नुतनीकरण प्रत्येक वर्षाची मुदत संपण्यापूर्वी मुदतवाढ घेऊन तिन वर्षांपर्यंत मंजूर करता येईल.
- मंजूर नकाशात दर्शविल्याप्रमाणे व्यावसायिक वापराकरिताच इमारतीचा उपयोग करण्यात येत असल्याने सदर जागेची सक्षम अधिकाऱ्याकडून व्यावसायिक परावर्तीत परवानगी घेणे बंधनकारक राहिल त्यानंतरच बांधकामाला सुरुवात करण्यात यावी.
- स्थळदर्शक नकाशावर दर्शविल्याप्रमाणे नियोजित बांधकामापासून पुढील, मागील व बाजूचे अंतरे प्रत्यक्षात जागेवर कायम ठेवणे आवश्यक असून सदर जागा कायम खुली ठेवावी.
- नियोजित इमारतीसाठी आवश्यक असणाऱ्या पाण्याची सोय, सांडपाण्याची व मैला निर्मूलनाची व्यवस्था नसल्यास प्रत्यक्ष वापरापूर्वी अर्जदाराने केली पाहिजे.
- नियोजित बांधकामातील मजल्याची संख्या नकाशावर दर्शविल्याप्रमाणे असावी यापेक्षा जास्त असू नये.

- ७) नियोजित बांधकाम मंजूरी पेक्षा जास्त/ वेगळे बदल करावयाचे असल्यास किंवा वापर बदलावयाचा असल्यास उपविभागीय अधिकारी यांची पूर्व परवानगी घेणे आवश्यक राहिल.
- ८) मंजूर बांधकाम नकाशा व्यतिरिक्त कोणतेही बांधकाम केल्यास ते अनाधिकृत गृहीत धरण्यात येईल. याची नोंद घ्यावी. अनाधिकृत बांधकाम केल्यास महाराष्ट्र प्रादेशिक व नगर रचना अधिनियम १९६६ नुसार जमीन मालक/विकास कर्ता व वास्तुशास्त्रज्ञ (आर्किटेक) गुन्हास पात्र ठरतील.
- ९) सिव्हर लाईनला पावसाच्या पाण्याची पाईप लाईन जोडण्यात येवू नये आणि त्याकरिता विकासकर्त्याने स्वतंत्र व्यवस्था करावी.
- १०) भूखंडावरील पावसाच्या पाण्याचे जलसंवर्धन (rain water harvesting) ची व्यवस्था विकासकर्त्यास करावी लागेल.
- ११) बांधकामच्या साहित्याची अशा तऱ्हेने व्यवस्था करावी जेणेकरून त्यामुळे ड्रेन, पावसाचे पाणी व वाहतूक इत्यादींना अडथळा निर्माण होणार नाही. अडथळा निर्माण झाल्यास कायदेशीर कार्यवाही करण्यात येईल.
- १२) बांधकाम परवानगीकरिता सादर केलेल्या मालकी हक्क व इतर कागदपत्रांमध्ये काही दोष असल्यास अथवा सादरची कागदपत्रे खोटी व दिशाभूल करणारी असल्यास सादरची परवानगी रद्द समजण्यात येईल.
- १३) नियोजित बांधकामामुळे लागतच भूखंडावर असलेल्या कोणत्याही वहीवाटीचे हक्काचा भंग होणार नाही याची जबाबदारी अर्जदार/मालकाने घेतली पाहिजे.
- १४) प्रस्तुत परवानगी मिळणेकामी अर्जदार यांनी सादर केलेली कागदपत्रे व माहिती हि दिशाभूल करणारी अगर चुकीची आढळून आल्यास त्यास परवानगी धारकास जबाबदार धरून भारतीय दंड विधान संहितेच्या तरतुदीनुसार फौजदारी कारवाईस पात्र धरण्यात येईल.
- १५) शासन निर्णय क्र. बिसीए-२००९/प्र.क्र १०८/कामगार/६-अ, दिनांक १७/०६/२०१० नुसार आवेदक यांनी कामगार उपकर १ टक्का (Labour Cess) नियोजन प्राधिकरण म्हणून महाराष्ट्र राज्य इमारत व इतर बांधकाम कामगार कल्याणकारी मंडळ, मुंबई यांचेकडे रक्कम भरणे पावती सादर करावी.
- १६) इतर प्लॉट धारकाचे हक्क बाधित होणार नाही याची दक्षता घेण्यात यावी.
- १७) पर्यावरण संतुलनाकरिता कमीत कमी २ वृक्षांची लागवड करावी.
- १८) आदेशातील उपरोक्त अटी व शर्ती पैकी कोणतेही अटी व शर्तीचा भंग केल्यास बांधकाम परवानगी रद्द समजण्यात येईल.

सुधी श्री. चैत्रकर-

सरपंच

ग्राम पंचायत नागाळा (सि.)

तलाठी कार्यालय नागाळा

दिनांक - 28/10/2022


तलाठी अहवाल


तलाठी सा. क्र. 04, नागाळा (सी), रा. नि. मं.- घुग्गुस, तहसील व जिल्हा चंद्रपूर, कडून चौकशी अहवाल सादर करण्यात येते कि, अर्जदार श्री. इंद्रसेनसिंह चतुरसिंह व ईतर 1 यांनी मौजा वांढरी परिवर्तित सर्व्हे नं. 51/53/1/ब क्षेत्र 5.51.00 हे.आर. चौ. मी. जागेच्या 7/12 रेकार्डला कोणत्याही बँकेचा बोजा नसल्याबाबत प्रमाणपत्र मागणी केली आहे. त्यानुसार मौजा वांढरी अद्यावत संगणीकृत परिवर्तित सर्व्हे नं. 51/53/1/ब क्षेत्र 5.51.00 हे.आर. चौ. मी. जागेच्या 7/12 रेकार्डची पडताळणी केली असता मौजा वांढरी परिवर्तित सर्व्हे नं. 51/53/1/ब क्षेत्र 5.51.00 हे.आर. चौ. मी. जागेच्या 7/12 रेकार्डला भोगवटदार म्हणून . इंद्रसेनसिंह चतुरसिंह व मनोरमासिंग इंद्रसेनसिंह यांच्या नावाने असून सदर सर्व्हे नं. ला मा. उपविभागीय अधिकारी चंद्रपूर यांचे रा. मा. क्र. 54/ एन.ए.पी.-34/2006-07 आदेश पारित दिनांक 06/02/2006 अन्वये शैक्षणिक आयुर्वेद महाविध्यालय व रुग्णालय प्रयोजनार्थ अकृषक परवानगी दिलेली आहे. सदर 7/12 च्या ईतर अधिकार मध्ये कोणत्याची प्रकारचा व कोणत्याही बँकेचा बोजा नोंद केल्याचे दिसून येत नाही.

करिता अहवाल सादर.

ठिकाण :- नागाळा (सी)

दिनांक :- 28/10/2022


28/10/2022
तलाठी नागाळा
सा. क्र. 04
रा. नि. चंद्रपूर



TITLE-
 PLAN SHOWING OF SMT. VIMLADEVI COLLEGE
 OF PHYSIOTHERAPY ON PLOT.NO.55,53/1 (B) AT
 WANDHARI TAHASIL AND DIST.CHANDRAPUR
 (M.S)

COLLEGE AREA

AREA STATEMENT		
S.NO	DESCRIPTION	AREA IN SQ.FT
1	ADMINISTRATION BLOCK	1240
2	STAFF ROOMS	1470
3	RECREATIONAL AREA	373
4	CLASSROOMS	4980
5	LIBRARY	2046
6	AUDITORIUM	2500
7	GIRLS COMMON ROOM	1516
8	BOYS COMMON ROOM	310
9	LAB-1 PHYSICAL DIGNOSIS AND KINESIOTHERAPY	1500
10	LAB-2	1500
	LAB-3 ELECTRO-THERAPY AND ELECTRO DIGNOSIS	1500
GRAND TOTAL		18935 SQ.FT

SCHEDULE OF OPENINGS		
TYPE	Size	SPECIFICATION
D	3'-3" x 7'-0"	T.W. FRAME PANNEL DOOR
D1	3'-0" x 7'-0"	C.C. FRAME FLUSH DOOR
D2	2'-6" x 7'-0"	C.C. FRAME FLUSH DOOR
W	6'-0" x 5'-0"	M.S. GLAZED WINDOW
W1	5'-0" x 5'-0"	M.S. GLAZED WINDOW
W2	4'-0" x 4'-6"	M.S. GLAZED WINDOW
V	2'-0" x 1'-6"	M.S. GLAZED VENTILATOR

Note:- Drawing changes as per owner discussion

BUILT UP AREA
 TOTAL BUILTUP AREA = 18935 SQ.FT.

P R O J E C T

DRAWN BY.	DIRECTION
CHECKED BY.	
SCALE	DATE
1:100	
1:50	


APPLICANT
 Induraj Singh
 Director
 State of Maharashtra Shiksha
 Maharashtra Sahakar
 Maharashtra Sahakar

ENGINEER
 Ar. Ganesh P. Bhagat
 Reg. No. CA/2018/94693
 CHANDRAPUR

ग्रा.पं. भाविक का ठरक नं. ७/३
 दि. २७/१०/२०२२ नुसार खर वांधकक
 नाकाशा तयकर.

पुसवी चिमुकर.
 सरपच
 गाय पंचायत नागाळा (सि.)





TITLE-
 PLAN SHOWING OF SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY ON PLOT.NO.55,53/1 (B) AT WANDHARI TAHASIL AND DIST. CHANDRAPUR (M.S)

OPD & IPD AREA

AREA STATEMENT FOR GROUND AND FIRST FLOOR

S.NO	DESCRIPTION	AREA IN SQ.FT.
1	RECEPTION AND NURSING STATION	500
2	LAVOTARY	545
3	IPD	1240
4	OPD	7020
5	PASSAGE PORCH	550
GRAND TOTAL		9855

SCHEDULE OF OPENINGS

TYPE	Size	SPECIFICATION
D	8'-5" x 7'-0"	T.W. FRAME PANNEL DOOR
D1	3'-0" x 7'-0"	C.C. FRAME FLUSH DOOR
D2	2'-8" x 7'-0"	C.C. FRAME FLUSH DOOR
W	6'-0" x 5'-0"	M.S. GLAZED WINDOW
V	2'-0" x 1'-6"	M.S. GLAZED VENTILATOR

AREA STATEMENT

Note:- Drawing changes as per owner discussion

1)	GROUND FLOOR PLAN	9855 SQ.FT
TOTAL BUILT/UP AREA		9855 SQ.FT

DRAWN BY: _____ DIRECTION _____

CHECKED BY: _____

SCALE: 1:100 DATE: _____


SCALE: 1:50

APPLICANT: *Indira Singh*
 President
 Smt Gurukulda Shiksha Prasarak Mandal, Nagpur
 Reg No MH-155194

ARCHITECT/ENGINEER

Ar. Gautam P. Bhagat
 Ar. Gautam P. Bhagat
 Reg. No. CA/2018/94693
 CHANDRAPUR

श्रीमती-व्याज गजाली (सि) शायिक रखा करण कु. 6/3
 दिनांक 29/10/2022 नुसार सहर वाणकोण, पोकोशी) संजुर.
 इतर कायदा/संशोधन कर.



श्रीमती-व्याज गजाली (सि.)



GROUND FLOOR PLAN

TITLE-
 PROPOSED PLAN SHOWING OF SMT. VINLADEVI
 COLLEGE OF PHYSIOTHERAPY ON
 PLOT NO.55,53/1 (B) AT WANDHARI TAHASIL
 AND DIST. CHANDRAPUR (M.S)

GROUND FLOOR PLAN

AREA STATEMENT FOR GROUND AND FIRST FLOOR

S.NO	DESCRIPTION	AREA IN SQ.FT.
1	ADMINISTRATION AREA	1500
2	MALE IPD (INDOOR PHYSIOTHERAPY DEPARTMENT)	1505
3	FEMALE IPD (INDOOR PHYSIOTHERAPY DEPARTMENT)	1050
4	OUTDOOR PHYSIOTHERAPY DEPARTMENT	7000
5	CONFERENCE HALL	720
6	AUDITORIUM	2925
7	DEPARTMENTS AREA-7 Nos.	13000
8	GIRLS & BOYS COMMON AREA	2500
9	CLASSROOM-CR-4 Nos.	5500
10	RECREATIONAL AREA	1250
11	COMMON TOILETS	1509
12	LIBRARY	2200
13	PASSAGE STAIRCASE RAMP AREA	10000
GRAND TOTAL		49122.9 Sq.ft

SCHEDULE OF OPENINGS

TYPE	Size	SPECIFICATION
D	10'-0" X 10'-0"	T.W. FRAME PANNEL DOOR
D1	6'-0" X 8'-0"	C.C. FRAME FLUSH DOOR
D2	3'-0" X 7'-0"	C.C. FRAME FLUSH DOOR
D3	2'-6" X 7'-0"	C.C. FRAME FLUSH DOOR
W	6'-0" X 9'-0"	M.S. GLAZED WINDOW
W1	5'-0" X 5'-0"	M.S. GLAZED WINDOW
W2	4'-0" X 4'-6"	M.S. GLAZED WINDOW
V	2'-0" X 1'-6"	M.S. GLAZED VENTILATOR

AREA STATEMENT

1)	GROUND FLOOR PLAN	13353.5 SQ.FT
2)	FIRST FLOOR PLAN	13353.5 SQ.FT
3)	SECOND FLOOR PLAN	13353.5 SQ.FT
4)	THIRD FLOOR PLAN	13353.5 SQ.FT
TOTAL BUILTUP AREA		53414.0 SQ.FT

DRAWN BY: _____ DIRECTION: _____

CHECKED BY: _____

SCALE: 1/100 DATE: _____

APPLICANT: *Vinla Devi*

President
 Smt. Gurukrupa Shikshar
 Prasarak Mandal, Nagpur
 Reg. No. 184765/04

ARCHITECT/ENGINEER
A.P. Bhagat
 A.P. GAUKATI P. BHAGAT
 Reg. No. CA/2018/94693
 CHANDRAPUR

स्नातकधर्माचारणी गीताबाई (सवि) स्नातकोत्तराचका इराण कु. ७/२
 दिनांक २९/१०/२०२२ नुसार चरर बांधकाम नकाशा वीजुल.

कुसुमी देवभारकर

सरपंच

ग्राम पंचायत नगाळा (सि.)



TITLE:
PROPOSED PLAN SHOWING OF SMT. WIMALADEVI
COLLEGE OF PHYSIOTHERAPY ON
PLOT NO. 55, 53/3 (B) AT WANDHARI, THANE
AND DIST. CHANDRAPUR (M.S.)

FIRST FLOOR PLAN

AREA STATEMENT FOR GROUND AND FIRST FLOOR

SNO	DESCRIPTION	AREA IN SQ.FT.
1	ADDITIONAL BUILDING AREA	1380
2	TOTAL PROPOSED AREA (SQ.FT.)	4000
3	TERMINAL AND SERVICE PROJECT AREA	1380
4	INTERNAL AREA (SQ.FT.)	2620
5	COVERED TERRACE AREA	0
6	COVERED TERRACE AREA	0
7	COVERED TERRACE AREA	0
8	COVERED TERRACE AREA	0
9	COVERED TERRACE AREA	0
10	COVERED TERRACE AREA	0
11	COVERED TERRACE AREA	0
12	COVERED TERRACE AREA	0
13	COVERED TERRACE AREA	0
14	COVERED TERRACE AREA	0
TOTAL AREA		4000.00 SQ. FT.

SCHEDULE OF OPENINGS

TYPE	SIZE	DEFINITION
1	10'0" X 7'0"	TOY WINDOW
2	6'0" X 4'0"	TOY WINDOW
3	6'0" X 4'0"	TOY WINDOW
4	6'0" X 4'0"	TOY WINDOW
5	6'0" X 4'0"	TOY WINDOW
6	6'0" X 4'0"	TOY WINDOW
7	6'0" X 4'0"	TOY WINDOW
8	6'0" X 4'0"	TOY WINDOW
9	6'0" X 4'0"	TOY WINDOW
10	6'0" X 4'0"	TOY WINDOW
11	6'0" X 4'0"	TOY WINDOW
12	6'0" X 4'0"	TOY WINDOW
13	6'0" X 4'0"	TOY WINDOW
14	6'0" X 4'0"	TOY WINDOW
15	6'0" X 4'0"	TOY WINDOW
16	6'0" X 4'0"	TOY WINDOW
17	6'0" X 4'0"	TOY WINDOW
18	6'0" X 4'0"	TOY WINDOW
19	6'0" X 4'0"	TOY WINDOW
20	6'0" X 4'0"	TOY WINDOW

AREA STATEMENT

S. NO.	DESCRIPTION	AREA IN SQ.FT.
1.	GROUND FLOOR AREA	1380.00 SQ.FT.
2.	FIRST FLOOR AREA	2620.00 SQ.FT.
3.	TOTAL AREA	4000.00 SQ.FT.



ARCHITECT/ENGINEER
Ar. Gautam P. Bhargat
Reg. No. CAZT01894893
CHANDRAPUR

FIRST FLOOR PLAN

प्राथमिकता नावाच्या कोठी मधील 55/3 (B) प्लॉट नं. 55/3 (B) च्या जागेवर
वास्तव्य कनिष्ठ महाविद्यालय बांधण्याची योजना दाखवण्यात आली आहे.

प्लॉट नं. 55/3 (B)

वास्तव्य कनिष्ठ महाविद्यालय (पि.)





SECOND FLOOR PLAN

TITLE-
 PROPOSED PLAN SHOWING OF SMT. VINLADEVI
 COLLEGE OF PHYSIOTHERAPY ON
 PLOT NO.55,53/1 (B) AT WANDHARI TAHASIL
 AND DIST.CHANDRAPUR (M.S)

SECOND FLOOR PLAN

AREA STATEMENT FOR GROUND AND FIRST FLOOR

S.NO	DESCRIPTION	AREA IN SQ. FT.
1	ADMINISTRATION AREA	1500
2	MALE IPD (INDOOR PHYSIOTHERAPY DEPARTMENT)	1505
3	FEMALE IPD (INDOOR PHYSIOTHERAPY DEPARTMENT)	1050
4	OUTDOOR PHYSIOTHERAPY DEPARTMENT	7000
5	CONFERENCE HALL	720
6	AUDITORIUM	3975
7	DEPARTMENTS AREA-7 Nos.	7000
8	GIRLS & BOYS COMMON AREA	2500
9	CLASSROOM-CR4 Nos.	5500
10	RECREATIONAL AREA	1250
11	COMMON TOILETS	1503
12	LIBRARY	2200
13	PASSAGE STAIRCASE RAMP AREA	10000
GRAND TOTAL		49122.9 Sq.ft

SCHEDULE OF OPENINGS

TYPE	Size	SPECIFICATION
D	10'-0" x 10'-0"	T.W./FRAME PANEL DOOR
D1	6'-0" x 8'-0"	C.C. FRAME FLUSH DOOR
D2	3'-0" x 7'-0"	C.C. FRAME FLUSH DOOR
D3	1'-5" x 7'-0"	C.C. FRAME FLUSH DOOR
W	6'-0" x 3'-0"	M.S. GLAZED WINDOW
W1	5'-0" x 5'-0"	M.S. GLAZED WINDOW
W2	4'-0" x 4'-0"	M.S. GLAZED WINDOW
V	2'-0" x 1'-5"	M.S. GLAZED VENTILATOR

AREA STATEMENT

1) GROUND FLOOR PLAN	13353.5 SQ.FT
2) FIRST FLOOR PLAN	13353.5 SQ.FT
3) SECOND FLOOR PLAN	13353.5 SQ.FT
4) THIRD FLOOR PLAN	13353.5 SQ.FT
TOTAL BUILTUP AREA	53414.0 SQ.FT

DRAWN BY:	DIRECTION:
CHECKED BY:	
SCALE:	DATE:
1:100	
1:50	

APPLICANT: *Indu Kashyap*
 Pratiksha Bhatte
 Smt. Ganeshwar Swasthar
 Department Manager, Chandrapur
 Road No. 55/53/1(B)

ARCHITECT/ENGINEER
Ar. Ganeshwar P. Bhagat
Ar. Ganeshwar P. Bhagat
 Reg. No. CA/2018/194693
 CHANDRAPUR

अभिषेक नारायण तांडाळी (सि) शासिक संज्ञा संस्था
 दिनांक २९/१०/२०२२ नुसार सार संकलन नकाशा संकलन

प्रसविका चिह्नितकर
 सरपंच
 ग्राम पंचायत नारायण (सि.)

TITLE-
 PROPOSED PLAN SHOWING OF SMT. VINLADEVI
 COLLEGE OF PHYSIOTHERAPY ON
 PLOT.NO.55,53/1 (B) AT WANDHARI TAHASIL
 AND DIST.CHANDRAPUR (M.S)

THIRD FLOOR PLAN

AREA STATEMENT FOR GROUND AND FIRST FLOOR

S.NO	DESCRIPTION	AREA IN SQ.FT.
1	ADMINISTRATION AREA	1500
2	MALE IPT (INDOOR PHYSIOTHERAPY DEPARTMENT)	1595
3	FEMALE IPT (INDOOR PHYSIOTHERAPY DEPARTMENT)	1930
4	OUTDOOR PHYSIOTHERAPY DEPARTMENT	7000
5	CONFERENCE HALL	720
6	AUDITORIUM	2328
7	DEPARTMENTS AREA- 7 Nos.	13000
8	GIRLS & BOYS COMMON AREA	2500
9	CLASSROOM-GR-4 Nos.	5500
10	RECREATIONAL AREA	1200
11	COMMON TOILETS	1503
12	LIBRARY	2200
13	PASSAGE STAIRCASE RAAMP AREA	10000
GRAND TOTAL		49122.9 Sq.ft

SCHEDULE OF OPENINGS

TYPE	Size	SPECIFICATION
D	10'-0" x 10'-0"	T.W. FRAME PANEL DOOR
D1	6'-0" x 8'-0"	C.C. FRAME FLUSH DOOR
D2	3'-0" x 7'-0"	C.C. FRAME FLUSH DOOR
D3	2'-6" x 7'-0"	C.C. FRAME FLUSH DOOR
W	6'-0" x 8'-0"	M.S. GLAZED WINDOW
W1	5'-0" x 5'-0"	M.S. GLAZED WINDOW
W2	4'-0" x 4'-6"	M.S. GLAZED WINDOW
V	2'-0" x 1'-6"	M.S. GLAZED VENTILATOR

AREA STATEMENT

1)	GROUND FLOOR PLAN	13353.5 SQ.FT
2)	FIRST FLOOR PLAN	13353.5 SQ.FT
3)	SECOND FLOOR PLAN	13353.5 SQ.FT
4)	THIRD FLOOR PLAN	13353.5 SQ.FT
TOTAL BUILT/UP AREA		53414.0 SQ.FT



THIRD FLOOR PLAN

ARCHITECT/ENGINEER
 Ar. Gautam P. Bhagat
 Reg. No. CA/2018/94693
 CHANDRAPUR

APPLICANT
 President
 Smt. Gayatri Shirsalkar
 Preratan Mahadevi, Chandrapur
 Reg. No. MA-4778610

आभयनाथ नाका (सि.) साक्षिक सभा ठराव क्र. 10/3
 दिनांक 29/10/2022 नुसार अदर बांधकाम नकाशा संकट.

पुणेची विक्री कर
 सरपंच
 ग्राम पंचायत नाका (सि.)




सहकुव समा तरावकू ५/११ दि.२०१५
 गुवार मंजूरदेव्याव येत आले:



GENTS HOSTEL

प्रतिष्ठापक अधिकारी
 प्रान्त विकास मंत्रालय (सि) प्रान्त पं. नागपळा (सि)



PLINTH AREA 644.16 SQ.MTS 6931.26 SQ.FTS
 CORRIDOR AREA 234.67 SQ.MTS 2525.07 SQ.FTS
 TOTAL AREA 878.84 SQ.MTS 9456.33 SQ.FTS

SCHEDULE OF OPENINGS		
TYPE	SIZE	SPECIFICATION
D	1.20 X 2.10	T.W. FRAME PANJEL DOOR
D1	1.20 X 2.10	C.C. FRAME FLUSH DOOR
D2	09.0 X 2.10	C.C. FRAME FLUSH DOOR
D3	1.75 X 2.10	C.C. FRAME FLUSH DOOR
W	0.90 X 1.50	M.S. GLAZED WINDOW
W1	1.50 X 1.50	M.S. GLAZED WINDOW
W2	1.20 X 1.50	M.S. GLAZED WINDOW
W3	1.20 X 1.50	M.S. GLAZED WINDOW
W4	0.60 X 1.50	M.S. GLAZED WINDOW
V	0.45 X 0.60	M.S. GLAZED VENTILATOR
VF	0.75 X 0.60	M.S. GLAZED VENTILATOR
RS	1.50 X 2.10	M.S. ROLLING SHUTTER

CLIENT: VIJLADEVI PHYSIOTHERAPY COLLEGE
 CHANDRAPUR

INDEX	DESCRIPTION
SCALE 1:100	PLAN
DATE 24/10/06	REMARKS
DEALT BY:	SUBMISSION
CHKD BY: SRINIVASA RAO	DRAWING
ARCHITECT'S SIGNATURE	OWNER SIGNATURE

M. Srinivasa Rao
M. SRINIVASA RAO
 B ARCH.
 ARCHITECT
 CA/95/18764

M. SRINIVASA RAO,
 B ARCH.
 ARCHITECT
 srinivamidala@yahoo.com

SHILPAVATAN
 I.E.G. 29/8, H.B. COLONY,
 NAKKALAGUETA, HANAMKONDA, WARANGAL DISTRICT
 ANDHRA PRADESH




[Signature]
 Principal
 St. Vimaladevi College of Physiotherapy,
 Wandhari, Chandrapur

लक्ष्मण सभा द्वारा वृ. ५/११ दि. २३/०५
 स्कार मंजूरी देव्यात येत आहे



LADIES HOSTEL

ग्राम विकास अधिकारी
 ग्राम पंचायत, नामाळा (ति) ग्राम पं. नामाळा (ति)



AREA CALCULATION

PLINTH AREA : 538.79 SQ.MTS. 5797.40 SQ.FTS
 CORRIDOR AREA : 209.27 SQ.MTS. 2251.87 SQ.FTS
 TOTAL AREA : 748.07 SQ.MTS. 8049.27 SQ.FTS

SCHEDULE OF OPENINGS

TYPE	SIZE	SPECIFICATION
D	1.80 X 2.10	T.W. FRAME PANNEL DOOR
D1	1.20 X 2.10	C.C. FRAME FLUSH DOOR
D2	09.0 X 2.10	C.C. FRAME FLUSH DOOR
D3	1.75 X 2.10	C.C. FRAME FLUSH DOOR
W	0.90 X 1.50	M.S. GLAZED WINDOW
W1	1.50 X 1.50	M.S. GLAZED WINDOW
W2	1.20 X 1.50	M.S. GLAZED WINDOW
W3	1.20 X 1.50	M.S. GLAZED WINDOW
W4	0.60 X 1.50	M.S. GLAZED WINDOW
V	0.45 X 0.60	M.S. GLAZED VENTILATOR
V1	0.75 X 0.60	M.S. GLAZED VENTILATOR
R.S	1.50 X 2.10	M.S. ROLLING SHUTTER

CLIENT: VIMLADEVI PHYSIOTHERAPY COLLEGE
 CHANDRAPUR

INDEX	DESCRIPTION
SCALE	1:100
DATE	24/10/06
DEALT BY	SUBMISSION
CHKD BY:	SRRINIVASA RAO
ARCHITECT'S SIGNATURE	OWNER SIGNATURE

M. Srinivasa Rao
M. SRINIVASA RAO
 B.Arch
ARCHITECT
GA/95/18764.

M. SRRINIVASA RAO,
 B.ARCH
 ARCHITECT srinivamidala@yahoo.com

SHILPAYATAN
 I.I.G. 29/8, H.B COLONY,
 NAKKALAGUTTA, HANAMKONDA, WARANGAL DISTRICT
 ANDHRA PRADESH



Principal

Principal

Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur



CLUSTER

DESIGN GROUP

AR. GAUTAM P. BHAGAT
B-ARCH (C.O.A DELHI)
REG.NO. [CA/2018/94693]
OFF. AT ST WORKSHOP SQUARE
TUKUM, CHANDRAPUR
EMAIL- gautamsbhagat@gmail.com
Contact: 8390472072

Architecture Planning

Interior Design

Landscaping


Ref.

Date. 24 March 2023

Completion Certificate

This is to certify that the College building of **Smt. Vimladevi College of Physiotherapy** on Plot No. 51, 53/1B has been completed in Year 24 Dec 2022 according to the plans sanctioned By Gram panchayat Wandhari, Tah. & Dist. Chandrapur, The total built up Area of construction is 35790 Sq.ft, It is a R.C.C framed structure with all facilities provided as per norms and conditions.

The above Certificate is issued on request of building Owner for their record purpose.


Owner's Signature


CLUSTER DESIGN GROUP
AR. GAUTAM P. BHAGAT
Reg. No. CA/2018/94693
Near ST Workshop Sq. Chandrapur (M.S.)

Architect's Signature





CLUSTER

DESIGN GROUP

AR. GAUTAM P. BHAGAT
B-ARCH (C.O.A DELHI)
REG.NO. [CA/2018/94693]
OFF. AT ST WORKSHOP SQUARE
TUKUM, CHANDRAPUR
EMAIL- gautamsbhagat@gmail.com
Contact: 8390472072

Architecture Planning

Interior Design

Landscaping

Ref.

Date. 24 March 2023

Completion Certificate


This is to certify that the Girls Hostel building of **Smt. Vimladevi College of Physiotherapy** on Plot No. 51, 53/1B has been completed in Year 12 Dec 2022 according to the plans sanctioned By Gram panchayat Wandhari, Tah. & Dist. Chandrapur, The total built up Area of construction is 9855 Sq.ft, It is a R.C.C framed structure with all facilities provided as per norms and conditions.

The above Certificate is issued on request of building Owner for their record purpose.

Indir Jandiyar
Owner's Signature

Gautam P. Bhagat
CLUSTER DESIGN GROUP
AR. GAUTAM P. BHAGAT
Reg. No. CA/2018/94693
Near ST Workshop Sq. Chandrapur (M.S.)
Architect's Signature





CLUSTER

DESIGN GROUP

AR. GAUTAM P. BHAGAT
B-ARCH (C.O.A DELHI)
REG.NO. [CA/2018/94693]
OFF. AT ST WORKSHOP SQUARE
TUKUM, CHANDRAPUR
EMAIL- gautamsbhatat@gmail.com
Contact: 8390472072

Architecture Planning

Interior Design

Landscaping

Ref.

Date. 24 March 2023

Completion Certificate

This is to certify that the Boys Hostel building of **Smt. Vimladevi College of Physiotherapy** on Plot No. 51, 53/1B has been completed in Year 12 Dec 2022 according to the plans sanctioned By Gram panchayat Wandhari, Tah. & Dist. Chandrapur, The total built up Area of construction is 9855 Sq.ft, It is a R.C.C framed structure with all facilities provided as per norms and conditions.

The above Certificate is issued on request of building Owner for their record purpose.

Indur Sandilya
Owner's Signature

Gautam P. Bhagat
CLUSTER DESIGN GROUP
AR. GAUTAM P. BHAGAT
Reg. No. CA/2018/94693
Near ST Workshop Sq. Chandrapur (M.S.)
Architect's Signature




ANEXURE – II

**Infrastructure & All
Department**




SGSPM's
**SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR**


College Building




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Principal Cabin



T. Poornadevi
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

College Office




Prasanna
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Administrative Section




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Board Room



[Handwritten Signature]


Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
**SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR**

Dean Room





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Classrooms






Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR

College Library





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




Laboratory Photos

1. Electotherapy Lab






Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



2. Kinesiotherapy & Physical Diagnosis Lab





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



3. Yoga Hall




[Signature]
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR

College Auditorium





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR

Girls Hostel




Princip
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR

Boys Hostel




[Signature]
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR

Canteen




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR


Playground



[Handwritten Signature]

Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



**SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR**


Total Build Up Area Available For College Building :- 25,000sq.ft.

Sr. No	Space Allotment	Total area required in sq. ft.	Actual area available (In sq.ft.)
1	Out Patient P.T. unit	3000	7000 sq.ft.
2	Laboratory (includes total 05 Labs) <u>For First Year</u> 1) Anatomy 2) Physiology 3) Therapeutic Gymnasium 4) Electrotherapy <u>For Second Year</u> 1) Functional Diagnosis a) Electro Diagnosis – 600 b) Exercise Tolerance & Fitness Lab – 600	1200 1200 1400 1200 1200	1500 sq.ft. 1500 sq.ft. 1500 sq.ft. 1500 sq.ft. 1500 sq.ft.
3	Physiotherapy Ward (Including fully equipped P.T. department)	5000	9855
4	Out Patient Physiotherapy Unit	3000	3000
5	Main Office	600	1240
6	Principal/ Professor Office	300	300
7	Vice Principal Office	200	200
8	Asso. Professor Office	4 X 150 = 600	} 1843
9	Asst. Professor/Lecturer Office	6 X 100 = 600	
10	Room for Other Staff	600	
11	Seminar Hall	2000	
12	Class rooms	4 X 400 = 1600	4980
13	Desirable to have an auditorium having 200 seat capacity	-	2500
14	Girls Common Room	500	1516
15	Boys Common Room	500	1515
16	Departmental Library	700	2046
Total		25400	41780 Principal



Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur
[Signature]

ANEXURE – II
College Library





Details of Library

Total Build up area available for Departmental Library: - 2046 sq.ft.

1	Seating Capacity	100
1	Total Books	210
2	Last year purchase	212410/-
3	Invoice & payment details	Bills Attached
4	List of Journal subscribed year	16
5.	Equipment in Library :-	a) Computers - 20 b) Tables - 12 c) Fans - 11 d) Chairs - 100 e) Steel Racks - 6 f) Executive Chairs - 3




Dean/ Principal Stamp & Signature
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Books Details


Sr. No.	Title	Author	PUBLICATION	PUB PLEAS	PUB YEAR	No. of Copy
1	Human Anatomy vol 1 ,2,3, 4 ...	Chaurasiya BD	CBS PUBLISHER	NEW DELHI	2023	20
2	Atlas of Histology	Difore's	WOLTERS KLUWERS	NEW DELHI	2022	4
3	Clyton's Electrotherapy 9th edi.	Forster Angela	A.I.T.B.S. PUBLISHER	NEW DELHI	2006	10
4	The Principle of Exercise Therapy	Gardiner M Dena	CBS PUBLISHER	NEW DELHI	2023	5
5	T.B. of Medical Physiology	Guyton & Hall	ELSEVIER	NEW DELHI	2021	5
6	T.B. of Phisiology	Jain A.K.	ARYA PUBLISHING	SIRMOUR	2023	6
7	Therapeutic Exercise	Kisner Carolyn	JAYPEE BROTHER.MEDICAL COMPANY	NEW DELHI	2023	10
8	Chunningham's Mannuel of Practical Anatomy	Koshi Rachel	OXFORED UNIVERSITY	NEW YORK	2018	15
9	T.B. of Biochemistry for Physiotherapy Students	Lal Harbans	CBS PUBLISHERE	NEW DELHI	2023	5
10	Electrotherapy Explained	Robertson Val	REXL INDIA	NEW DELHI	2022	4
11	Harper Illustrated Biochemistry	Kennelly Peter J	MCGRAW HITT,LLC	USA	---	1
12	Biochemistry	Naik Pankaja	JAYPEE BROTHER.MEDICAL COMPANY	NEW DELHI	2023	5
13	Measurment of Joint Motion a Guaide to Goniometry	Norkin Synthaia	JAYPEE BROTHER.MEDICAL PUBLISHER	NEW DELHI	2017	5




Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur


14	Basic Computer & Information Science Fpr Physiotherapy Student	Randhir Priyanka	CBS PUBLISHERE	NEW DELHI	2023	5
15	Biochemistry	Satyanarayan U	REXL INDIA	NEW DELHI	2021	5
16	T.B. of Clinical Neuroanatomy	Singh Inderbir	JAYPEE BROTHER.MEDICAL COMPANY	NEW DELHI	2022	5
17	T.B.of Clinical Neuroanatomy	Singh Vishram	REXL INDIA	NEW DELHI	2021	5
18	Clinical Anatomy By Regions	Snell's	WOLTERS KLUWER	NEW DELHI	2018	6
19	T.B.of Biochemistry for Medical Students	Vasudevan D M	JAYPEE BROTHER.MEDICAL PUBLISHER	NEW DELHI	2023	5
20	Anatomy for Students	Gray's	ELSEVIER	NEW DELHI	2023	6
21	Essentials of Human Anatomy Neuroanatomy	Datta A.K.	CURRENT BOOKS INTERANTION	KOLKATA	2015	10
22	Essentials of Human Anatomy Head & Neck	Datta A.K.	CURRENT BOOKS INTERANTION	KOLKATA	2018	10
23	Essentials of Human Anatomy Thorax,Abdomen & Pelvis	Datta A.K.	CURRENT BOOKS INTERANTION(COPY)	KOLKATA	2018	10
24	Essentials of Human Anatomy Superior & Inferior extermiteis	Datta A.K.	CURRENT BOOKS INTERANTION(COPY)	KOLKATA	2017	5
25	Joint Sturcture & Function	Lavangie PamelaK	JAYPEE BROTHER.MEDICAL COMPANY	NEW DELHI	2019	5
26	T.B.of Anatomy Clinically Oriented	Kadasne DK	JAYPEE BROTHER.MEDICAL COMPANY	NEW DELHI	2009	5
27	Question & Answer Physiology	Jain A.K.	ARYA PUBLISHING	SIRMOUR	2023	3
28	clayton's Electrotherapy 8th edi.	Forester	CBS PUBLISHER	NEW DELHI	2005	5
29	Massage for Therapist	Hoilis	JOHN WILEY & SONE	UNITED KINGDOM	2009	5
30	Electrophysical agents	Watsan,Tim	ELSEVIER	NEW YORK	2021	5
31	Samson Wright's Applied Physiology	Keele Cyril A.	OXFORED UNIVERSITY	NEW DELHI	2020	5





Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur

32	Brunstrom's Clinical Kinesiology	Smith,Laura K.	F.A. DEVIS COMPANY	USA	1996	5
33	Asana Why & How	Tiwari,Omprakash	KAIVALYADHAM SWAMI	PUNE	2023	5
					Total	210




Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Journals Details

1	Journal of Cardiovascular Disease Research	https://www.jcdronline.org/archive.php
2	UTP journal Physiotherapy canada	https://www.utpjournals.press/loi/ptc
3	BMC Sports Science, Medicine and Rehabilitation	https://bmcsportsscimedrehabil.biomedcentral.com/articles
4	The International Journal of Sports Physical Therapy	https://ijspt.org/current-issue/
5	Australian Journal of Physiotherapy	https://www.sciencedirect.com/journal/australian-journal-of-physiotherapy/issues
6	APTA Physical Therapy America	https://academic.oup.com/ptj
7	CSP Physiotherapy	https://www.sciencedirect.com/journal/physiotherapy/issues
8	BMC Archives of Physiotherapy	https://archivesphysiotherapy.biomedcentral.com/
9	Indian Journal of Gerontology	Hard copy
10	Archives of Physical Medicine and Rehabilitation	https://www.archives-pmr.org/issues
11	Yearbook of Sports Medicine	Hard copy
12	Indian Journal of Physiotherapy & Occupational Therapy	https://medicopublication.com/index.php/ijpot/issue/archive
13	Physiotherapy - Journal of Indian Association of Physiotherapists	https://pjiap.org/backissues.asp
14	Journal of Pediatric Neurosciences	https://www.pediatricneurosciences.com/backissues.asp
15	Applied Physiology	https://journals.physiology.org/loi/jappl/group/d2020.y2023
16	Spine	https://journals.lww.com/spinejournal/pages/issuelist.aspx?year=2023




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

Laxmi PUSTAKALAY & STATIONERS

Retailer, Wholeseller & Library Supplier

Kelibagh Road, Mahal, NAGPUR-32. (M.S.)

Tel. : 0712 - 2720379, 2727354

Fax : 0712 - 2727354, Mob. : 9823098983

Email : laxmipustakalay@gmail.com

To, SMT VIMLADEVI College
M/s. of Physiotherapy

(Signature)

No. 8917

Rahul Singh - 8010914860

Date : 16-9-23

QTY.	PARTICULARS	RATE	GROSS AMOUNT	% LESS	NET AMOUNT
5	SAMSON weights (OX) Applied physiology	1795	8975	20%	7180=00
5	Brownstom - Clinical Kimsiology	4645	23225	25%	17419=00
5	Tiwari - ASANA	700	3500	Net	3500=00
<u>15 Total</u>					28099=00
① Box 91/51 + 99/51					201=00
					<u>28300=00</u>
					28300=00


Books once sold will not be returned or exchanged
Payment strictly within 15 days.
Subject to Nagpur Jurisdiction only.
E. & O.E.

(Signature)



For LAXMI PUSTAKALAY & STATIONERS

Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



N.N. MEDICAL BOOKS

Shop No:- 4 A , Sheriar Baug , 77 , Ramchandra Bhatt Marg
Opp J.J Hospital Gate No.2,Mumbai - 400009
Phone.NO. 66661899 / 9820214325 ,Email:nnmedicalbooks@gmail.com
Pan No:- AFXPA6756P, State Code:- 27 , State:- Maharashtra
HSN CODE:- 49011010 (GST EXEMPT)

INVOICE /869

Dated: 09/09/2023

To,
SHRI GURUKRUPA SHIKSHAN PRASARAK MANDAL'S
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
NEW POST BOX NO. 33,
MAIN GPO, NEAR WATER TANK,
CHANDRAPUR- 442 401.
NA - NA

Your Order Ref : SVCP/OWNO/13
Gr. No & Date : 09/09/2023
Dispatch Mode :
Weight :
Packets :
Transport :

S.No.	ISBN	Author	Title	Qty	Curr.	Price	Disc%	Net Amount
1	9789387963405	Mehta V	Snells clinical anatomy by regions with access code -2018	5	Rs.	3999.00	30.00	13996.50
	9788123908595	forster	Claytons electrotherapy : theory & practice, 8e	5	Rs.	425.00	30.00	1487.50
3	9781405159166	Hollis	Massage for therapists: a guide to soft tissue therapy, 3e pub. price: \$ 71.99 (pb)	5	\$	80.95	30.00	24195.95
4	9780702051517	WATSON	Electrophysical agents evidence based practice 13ed (hb 2020)	5	Rs.	2195.00	30.00	7682.50

Total Titles	4	Total Qty	20	Net Amount	47,362.45
				Add : Postage	34.00
				Net Dis.	20298.20
				Spl. Disc. (%) 0.49	232.08

Exchange Rates : \$ - 85.40, Rs. - 1.00

In Words : Rs. Forty Seven Thousand One Hundred Sixty Four Only

Net Total **47,164.00**

NOTE :

TERMS & CONDITION

E. & O. E.

1. Certified that correct Publishers's Price have been Charged.
2. Latest Ed of books have been Supplied & current Conv. Rates as Appd. by GOC have been charged
3. Books once leave our premises we are not responsible for it . Goods once sold will not be Return
4. Out Stations should be made by Bank Draft / Payable at Mumbai.
5. Interest @ 18% per annum will be charged if the bill is not paid within mentioncd period.
6. All disputes are subject to Mumbai Jurisdiction only.

For N.N. MEDICAL BOOKS



T. P. ...
Authorised Signatory
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

Prepared By :

Checked By :

INVOICE

SACHIN MEDICAL BOOKS
 RADHIKA PALACE, SHOP NO. 3
 MEDICAL SQUARE, NAGPUR-440009
 Mob. No. 09766643322/07972479078
 E-Mail : - nerkar939@gmail.com

INVOICE NO. **215**
 DATE: **16-8-23**

To, The principal
 Sant. Vimaladevi college of Physiotherapy
 Wandhari, Chandrapur.

SR. NO.	QTY.	PARTICULARS	PRICE	DISC. %	AMOUNT (Rs.)
✓ 1	5 set	A.K. Dutta - Essential of Human Anatomy (vol. 1, 2, 3, 4)	1850	30%	6475
✓ 2	5	Kisner - Therapeutic Exercise R	2195	25%	8231
✓ 3	5	Cynthia Norman - Joint Structure & Function (Biomechanical) R	1995	25%	7481
4	5	Clayton's Electrophoresis	425	30%	1488
5	5	Kadane - Text Books of Anatomy (vol. 3) R	2850	30%	7825
Postage/Freight					
Total Amount					36500

Terms & Conditions:

Payment Should made by Cash/Cheque/D.D./NEFT Payable at NAGPUR
 Books once sold can not be taken back.
 Certified that the current publisher's price has been charged.
 ICICI BANK MEDICAL SQUARE, NAGPUR
 A/C No. 334805000191
 IFSC CODE : ICIC0003348
 Printed Educational books GST exempted
 GST No. : 27ADKPN2114PIZ8



For. Sachin Medical Books



Principal
 Principal
 Sant. Vimaladevi College of Physiotherapy,
 Wandhari, Chandrapur

DHANWANTARI BOOKS & STATIONERS

166, Tajshree towers, Ayurved Layout, Umred rd, Nagpur-440024
Phone : (0712) 2741035 Mob : 8007677540, 8856075864

DEALS IN : MEDICAL, AYURVED, NURSING, HOMEOPATHY, PHARMACY BOOKS, MEDICAL BOOK SELLERS & LIBRARY SUPPLIERS

To, Smt. VIMLADEVI COLLEGE OF PHYSIOTHERAPY

Bill No. : CR2779 Date : 31/07/2023

MEMO : CREDIT BILL

CHANDRAPUR

Page : 1/1

Order No.: Date :

S.No.	TITLE	QTY.	PRICE	DISC %	AMOUNT
1	CHAURASIA BD- HUMAN ANATOMY VOL 1 (9TH ED)	5	775.00	25.00	2906.25
2	CHAURASIA BD- HUMAN ANATOMY VOL 2 (9TH ED)	5	895.00	25.00	3356.25
3	CHAURASIA BD- HUMAN ANATOMY VOL 3/4 (9TH ED)	5	1125.00	25.00	4218.75
4	DATTA- HUMAN ANATOMY VOL 2	5	500.00	25.00	1875.00
5	DATTA- HUMAN ANATOMY VOL 1	5	550.00	25.00	2062.50
6	DATTA- HUMAN ANATOMY VOL 4	5	370.00	25.00	1387.50
7	EROSCHENKO/DIFIORES- ATLAS OF HISTOLOGY	4	1399.00	25.00	4197.00
8	FORESTAR- CLAYTONS ELECTROTHERAPY THEORY & PRACTICE	5	425.00	25.00	1593.75
9	GARDINER- THE PRINCIPLES OF EXERCISE THERAPY	5	595.00	25.00	2231.25
10	GUYTON- T.B. OF MEDICAL PHYSIOLOGY	5	2185.00	25.00	8193.75
11	JAIN AK- TB OF PHYSIOLOGY (VOL 1 & 2)	3	1950.00	25.00	4387.50
12	KISNER- THERAPEUTIC EXERCISE	5	2195.00	25.00	8231.25
13	KOSHI- CUNNINGHAM MANUAL OF PRACTICAL ANATOMY VOL 1	5	650.00	25.00	2437.50
14	KOSHI- CUNNINGHAM MANUAL OF PRACTICAL ANATOMY VOL 2	5	650.00	25.00	2437.50
15	KOSHI- CUNNINGHAM MANUAL OF PRACTICAL ANATOMY VOL 3	5	650.00	25.00	2437.50
16	LAL- TB OF BIOCHEMISTRY FOR PHYSIOTHERAPY	5	695.00	25.00	2606.25
17	LOW/REED- ELECTROTHERAPY EXPLAINED	4	1575.00	25.00	4725.00
18	MURRAY- HARPERS ILLUSTRATED BIOCHEMISTRY	1	1895.00	25.00	1421.25
19	NAIK- ESSENTIALS OF BIOCHEMISTRY	5	1695.00	25.00	6356.25
20	NORKIN- MEASUREMENT OF JOINT MOTION GONIOMETRY	5	1595.00	25.00	5981.25
21	RANDIR- BASIC COMPUTERS & INFORMATION SCIENCE FOR PHYSIOTHERAPY	5	495.00	25.00	1856.25
22	SATYANARAYAN- BIOCHEMISTRY	5	1675.00	25.00	6281.25
23	SINGH IB CLINICAL NEUROANATOMY	5	850.00	25.00	3187.50
24	SINGH V- TB OF CLINICAL NEUROANATOMY	5	795.00	25.00	2981.25
25	SNELL- CLINICAL ANATOMY BY REGIONS	1	3999.00	25.00	2999.25
26	VASUDEVAN- BIOCHEMISTRY	5	1695.00	25.00	6356.25
27	VEERAMANI- GRAYS ANATOMY FOR STUDENTS 2 VOL SET	3	3885.00	25.00	8741.25

\$ £ € Total No. Of Books= 121 Total 105446.25

Rs. One Lakhs Five Thousand Four Hundred Forty Six Only

Postage/Froight(+)

Transport & L.R. NO.:

NET TOTAL

105446.00

TERMS & CONDITIONS :

- All disputes are subject to NAGPUR jurisdiction only.
- All goods are despatch entirely at buyers risk sellers are not responsible for any damage or shortage discovered after delivery.
- Interest @24% p.a. is chargeable if this bill is not paid on one month.
- Certified that correct publishers price has been charged.
- Goods once sold can not be taken back or exchanged under any circumstance.
- Current conv. rates as appd. by GOC have been charged.

For DHANWANTARI BOOKS & STATIONERS

E.& O.E.



[Signature]

Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

ANEXURE – II

**Details of Lecture
Leathers with Seating
Capacity**




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Lecture/ Theatres/Classroom Facilities


Sr. No	Classroom No.	Max Seating Capacity	ICT Enables	Internet Access
1	Classroom 1	100	Available (Projector, Screen, Computer, Lan Cables, Speaker & Mics)	Available (Speed – 10mbps)
2	Classroom 2	100	Available (Projector, Screen, Computer, Lan Cables, Speaker & Mics)	Available (Speed – 10mbps)
3	Classroom 3	100	Available (Projector, Screen, Computer, Lan Cables, Speaker & Mics)	Available (Speed – 10mbps)
4	Classroom 4	100	Available (Projector, Screen, Computer, Lan Cables, Speaker & Mics)	Available (Speed – 10mbps)




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

ANEXURE – II

Core Laboratories




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR


Electrotherapy & Electro diagnosis (as per M.S.R.):

List of Equipment

Sr. No.	Name of Product	Qty
1.	Cubicles with Separate Power line (earthed)	Available
2.	Hot Pack Unit, (Machine),	01
3.	Hot Packs	04
4.	Cold Packs Unit	01
5.	Cold Packs	04
6.	Paraffin Wax Bath (PWB)	01
7.	Open circuit Stimulator	01
8.	Shortwave Diathermy - 500W	02
9.	UVR Lamp (Floor Model)	03
10.	Ultrasound Unit	05
11.	IR lamp	01
12.	Whirlpool Bath (Desirable),	01
13.	Diagnostic Muscle Stimulators	09
14.	TENS Unit	04
15.	Interferential Current Therapy Unit (IFT),	03
16.	LASER Unit (Therapeutic) (Desirable),	01
17.	Cervical cum lumber traction Units	01
18.	Wall Mounted Cervical Traction Unit	01
19.	Contrast Bath	01
20.	Exam Couch	06
21.	Two channeled EMG with IP	01
22.	Couches Regular	07
23.	Trolley	16
24.	Steel Single Steps	13
25.	Nilkamal Chair	02
26.	Steel Almira	01
27.	White Board	01




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur





SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

**Analyzer, Biofeedback/multi stimulator. Kinesiotherapy (as per
M.S.R.):**

List of Equipment


Sr. No.	Name of Product	Sizes
1.	Cubicles	Available
2.	Parallel Bar with Mirror	01
3.	Wall Bar (in metal Frame)	01
4.	Stair Case (Straight Type - 60CM Wide)	01
5.	Suspension App	02
6.	Tilt Table (Manual)	01
7.	Ergocycle, Rowing Machine	03
8.	Exam Couch, Exercise Mat	05
9.	Dumbells & Springs	03
10.	Weight cuffs and Wedges	02
11.	Sand Bags	08
12.	Medicine Ball	02
13.	Therabands & Theratubes	09
14.	Swiss Ball (Physio Balls) 55cms, 65cms, 75cms, 85cms	02
15.	Hand Dynamometer	01
16.	Hand Evaluation Kit	01
17.	Delorme's Boot with weight	01
18.	Hand Exercise Unit	01
19.	CPM Unit	01
20.	Shoulder Wheel	01
21.	Finger ladder	01
22.	Skates	01
23.	Skate Board	01
24.	Axillary / Elbow Crutches	01
25.	Walkers	01
26.	Canes	01
27.	Gutter Crutch	01





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

28.	Wobble Board	01
29.	Equilibrium Board Pediatric and Adult	01
30.	Quadriceps Table	02
31.	Ankle Exerciser	01
32.	Bed Cycle	01
33.	Rachet	01
34.	Wrist Roller / Wrist Exerciser	01
35.	Therapeutic Folded Wheel Chair	01
36.	Pelvic inclinometers	01
37.	B.P. Apparatus	01
38.	Goniometer	01
39.	Hammer	03
40.	Yoga Mat.	15
41.	Trolley	04
42.	Rowing Machine	02
43.	Suspension Bed	02
44.	Cervical & Lumbar Traction Unit	01
45.	Bicycle Ergo Meter with Speedometer	01
46.	Bed Cycle	01
47.	Body Composition Analyzer	01
48.	Weighing Scale with Height Measurement	01
49.	Wooden Steps	06
50.	Nebulizer	01
51.	Stability Trainer	01
52.	Peak Flow Meter	02
53.	Spiro meter	01
54.	Pulse Oxymeter	04
55.	Cold pack Unit	04
56.	Inspiratory muscle trainer	02
57.	Single Steps	03




Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Equipment list

YOGA HALL

Sr. No	Product	Qty.
1.	Couches (Regular)	02
2.	Couches with Inclination	01
3.	Trolley	05
4.	Ergo Cycles	02
5.	Yoga Mat Indian 2 Meter	15
6.	Ankle Exercise	01
7.	Steel Single Steps	01
8.	Wooden Steps	03
9.	Chair Nilkamal	02
10.	Steel Almira	01
11.	Bed cycle	01
12.	Low Couches	01
13.	Portable Sanction Machine	01
14.	ECG	01
15.	Oxygen Cylinder	01
16.	Swiss Balls 24"	02
17.	Cushioned mat with side pillow (4 pillows of different sizes)	01
18.	Bio feedback multi stimulator	01
19.	Laser	01




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

ANEXURE – II
University Examination
Infrastructure




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

University Examination Infrastructure

Sr. No	Particulars	Remarks
1	Strong Room for examination with area 1200 sqft	Available
2	Shelf	Available
3	Steel cupboard – Nos. 03	Available
4	CCTV , DVR/NVR ,	Available
5	Computer - Nos. 02	Available
6	Printer - Nos. 01	Available
7	Photocopier Machine- - Nos. 1	Available
8	UPS - Nos. 01	Available
9	Examination hall with benches	Available
10	Parking facility for university vehicle, guest house facility	Available




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

ANEXURE – II

Other Facilities




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Details of Other Facilities Available


Sr. No	Facilities Avaibale	Remarks
1.	Hospital Waste Management Unit	Available
2.	Research Cell	Available
3.	Intercom Network	Available
4.	Playground	Available
5.	P.T Teacher or Instructor	Available
6.	Common Rooms for Boys, Girls	Available
7.	Cafeteria/Canteen	Available
8.	Facility for indoor games	Available
9.	Gymnasium/Gymkhana facility	Available
10.	Ambulance	Available




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

ANEXURE – II

Hostel Facilities




SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR

Girls Hostel




[Signature]
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



SGSPM's
SMT. VIMLADEVI AYURVEDIC MEDICAL COLLEGE & HOSPITAL
WANDHARI, CHANDRAPUR


Boys Hostel



Toan

Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

सहकुव समा तरावकू ५/११ दि.२०१५
 गुवार मंजूरदेव्याव येत आले:



प्राप्त विक्रीत अधिकारी
 धाम चं. नागपळा (बि.) प्रा. वि. नागपळा (बि.)
 शरवण

PLINTH AREA 644.16 SQ.MTS 6931.26 SQ.FTS
 CORRIDOR AREA 234.67 SQ.MTS 2525.07 SQ.FTS
 TOTAL AREA 878.84 SQ.MTS 9456.33 SQ.FTS

SCHEDULE OF OPENINGS		
TYPE	SIZE	SPECIFICATION
D1	1.20 X 2.10	T.W. FRAME PANJEL DOOR
D2	1.20 X 2.10	C.C. FRAME FLUSH DOOR
D3	09.0 X 2.10	C.C. FRAME FLUSH DOOR
U3	1.75 X 2.10	C.C. FRAME FLUSH DOOR
W	0.90 X 1.50	M.S. GLAZED WINDOW
W1	1.50 X 1.50	M.S. GLAZED WINDOW
W2	1.20 X 1.50	M.S. GLAZED WINDOW
W3	1.20 X 1.50	M.S. GLAZED WINDOW
W4	0.60 X 1.50	M.S. GLAZED WINDOW
V	0.45 X 0.60	M.S. GLAZED VENTILATOR
VF	0.75 X 0.60	M.S. GLAZED VENTILATOR
RS	1.50 X 2.10	M.S. ROLLING SHUTTER

CLIENT: VIJLADEVI PHYSIOTHERAPY COLLEGE
 CHANDRAPUR

INDEX	DESCRIPTION
SCALE 1:100	PLAN
DATE 24/10/06	REMARKS
DEALT BY:	SUBMISSION
CHKD BY: SRINIVASA RAO	DRAWING
ARCHITECT'S SIGNATURE	OWNER SIGNATURE

M. Srinivasa Rao
M. SRINIVASA RAO
 B ARCH.
 ARCHITECT
 CA/95/18764.

M. SRINIVASA RAO,
 B ARCH.
 ARCHITECT
 srinivamidala@yahoo.com

SHILPAVATAN
 I.E. 29/8, H.B. COLONY,
 NAKKALAGUETA, HANAMKONDA, WARANGAL DISTRICT
 ANDHRA PRADESH




[Signature]
 Principal
 St. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur

लक्ष्मण सभा द्वारा वृ. ५/११ दि. २३/०५
 स्कार मंजूरी देव्यात येत आहे



LADIES HOSTEL

ग्राम विकास अधिकारी
 ग्राम पंचायत नामाळा (बि) ग्राम पं. नामाळा (बि)



AREA CALCULATION

PLINTH AREA : 538.79 SQ.MTS. 5797.40 SQ.FTS
 CORRIDOR AREA : 209.27 SQ.MTS. 2251.87 SQ.FTS
 TOTAL AREA : 748.07 SQ.MTS. 8049.27 SQ.FTS

SCHEDULE OF OPENINGS

TYPE	SIZE	SPECIFICATION
D	1.80 X 2.10	T.W. FRAME PANNEL DOOR
D1	1.20 X 2.10	C.C. FRAME FLUSH DOOR
D2	09.0 X 2.10	C.C. FRAME FLUSH DOOR
D3	1.75 X 2.10	C.C. FRAME FLUSH DOOR
W	0.90 X 1.50	M.S. GLAZED WINDOW
W1	1.50 X 1.50	M.S. GLAZED WINDOW
W2	1.20 X 1.50	M.S. GLAZED WINDOW
W3	1.20 X 1.50	M.S. GLAZED WINDOW
W4	0.60 X 1.50	M.S. GLAZED WINDOW
V	0.45 X 0.60	M.S. GLAZED VENTILATOR
V1	0.75 X 0.60	M.S. GLAZED VENTILATOR
R.S	1.50 X 2.10	M.S. ROLLING SHUTTER

CLIENT: VIMLADEVI PHYSIOTHERAPY COLLEGE
 CHANDRAPUR

INDEX	DESCRIPTION
SCALE	1:100 PLAN
DATE	24/10/06 REMARKS
DEALT BY	SUBMISSION
CHKD BY: SRINIVASA RAO	DRAWING
ARCHITECT'S SIGNATURE	OWNER SIGNATURE

M. Srinivasa Rao
M. SRINIVASA RAO
 B.Arch
ARCHITECT
GA/95/18764.

M. SRINIVASA RAO,
 B.Arch
 ARCHITECT
 srinivamidala@yahoo.com

SHILPAYATAN
 I.I.G. 29/8, H.B. COLONY,
 NAKKALAGUTTA, HANAMKONDA, WARANGAL DISTRICT
 ANDHRA PRADESH



Prasanna
 Principal

Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur

ANEXURE – II

Hospital Details




SGSPM's
SMT. VIMLADEVI COLLEGE OF PHYSIOTHERAPY,
WANDHARI, CHANDRAPUR

Clinical Facilities

Sr. No	Name of Hospital	Own/Parent/ Attached	Specialties	Bed Strength	Distance from College (within 100km)
1.	Smt.Vimladevi Ayurvedic Medical College , Wandhari, Chandrapur	Own	Ayurvedic	100	0 Km
2.	Spandan Heart & Child Hospital, Chandrapur	Attached	Multispecialty	50	9.29 Km
3.	Wasade Hospital, Chandrapur	Attached	Multispecialty	60	8.25 Km
4.	Shri. Sai Divine Care Hospital, Chandrapur	Attached	Multispecialty	100	9.96 Km
5.	Bukkawar Hospital, Chandrapur	Attached	Multispecialty	50	8.55 Km
6.	CHL Multispecialty Hospital, Chandrapur	Attached	Multispecialty	50	9.96 Km
7.	Christ Hospital, Chandrapur	Attached	Multispecialty	100	8.81 Km
8.	Wasade Nursing Home, Chandrapur	Attached	Multispecialty	50	8.25 Km




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



At. Wandhari. Post, Tadali, Chandrapur - 442 406

Ph. No.: (07172) 645601, 645691

Reg. No.: F-11568 (NGP) under trust Act 1950

Reg.No.: MS/165/94/Nagpur under Society Act 1860

Ref. No.

Date :- 08/10/2022

To,

Respected

1323

Dr. Rohan Ainchwar

08/10/2022

CHL Multispecialty Hospital and Research Center

Chandrapur

Subject :- Requirement for Consent of 50 Beds for proposed new **Smt. Vimladevi College of Physiotherapy, Wandhari Chandrapur.**

Respected Sir,

With the reference to above mentioned subject, our society Shri Gurukrupa Shikshan Prasarak Mandal is willing to start a new Physiotherapy College and institute under medical education for that we are humbly requesting you to give us consent of 50 beds from your **CHL Multispecialty Hospital and Research Center, Chandrapur** for clinical teaching of BPTH students.

Respected Sir, our Shri Gurukrupa Shikshan Prasarak Mandal is already running Smt. Vimladevi Ayurvedic Medical College & Hospital Wandhari, Chandrapur from 2010 to serve the society by providing health care in rural area. At present we are running **100 bedded AELC NABH Accredited** ayurvedic hospital with all the equipped facility and resources along with MPCB accreditation, Bombay Nursing Home Act and Fire Permission.

Respected Sir, we want to upgrade and enhance our medical services towards poor people and society hence our society had taken initiative and decided to start a new Physiotherapy Institution "**Smt. Vimladevi College of Physiotherapy**" at our premises. We are humbly requesting you to issue us **a consent of 50 beds** from your **CHL Multispecialty Hospital and Research Center, Chandrapur** for teaching and learning process for this course.

Thanks and oblige.


President

Shri Gurukrupa Shikshan Prasarak Mandal
Smt. Vimladevi Ayurvedic Medical College
& Hospital Wandhari, Chandrapur



Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur





महाराष्ट्र MAHARASHTRA

© 2021 ©

567579

Notarial Regr.
Entry No. 3320
Date 28/10/2022



MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding has been signed between “**Smt. Vimladevi College of Physiotherapy**” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal **Wandhari, Ghugus Road Chandrapur 442406**

AND

Dr. Rohan Ainchwar CHL Multispecialty Hospital and Research Center Near Adarsh Petrol Pump, Sarkar Nagar, Mul road Chandrapur 442401

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.



[Signature]

Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

[Signature]

सादर

Memorandum of Understanding

प्रकार / अनुसूचित क्रमांक _____
 दस्तावेज नोंदणी क्रमांक / आदेश क्रमांक _____
 नोंदणी होणार असल्यास _____
 दुसऱ्या पक्षाचा संपर्कस्थान नाव _____
 पत्ता _____
 मोबाइल क्रमांक _____
 मुद्रांक क्रमांक / पत्ता पत्रे नाव विमलादेवी आयुर्वेदिक, फिजिओथेरापी
 दुसऱ्या पक्षाचा पत्ता _____
 इतर असल्यास त्याचे नाव _____
 पक्षाचा संपर्कस्थान _____
 पत्ता _____
 मुद्रांक क्रमांक / पत्ता पत्रे नाव _____
 दुसऱ्या पक्षाचा पत्ता _____
 इतर असल्यास त्याचे नाव _____
 पक्षाचा संपर्कस्थान _____
 पत्ता _____

विमलादेवी आयुर्वेदिक, फिजिओथेरापी

रु. 100/- दिनांक 08/10/22

1 / 2 / 1

The memorandum of understanding has been signed between PROPOSED "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406 as Party No. 1

AND

Dr. Rohan Ainchwar CHIL Multispecialty Hospital and Research Center Near Adarsh Petrol Pump, Sarkar Nagar, Mul road Chandrapur 442401 Party No. 2 Dt. 08th October 2022 & witness as under that.

That Party No. 2 is having 50 Bedded modern hospital unit at Near Adarsh Petrol Pump, Sarkar Nagar, Mul road Chandrapur 442401 & Party No. 1 is having a full fledged academic institution (proposed) degree course in Physiotherapy Wandhari, Ghugus Road Chandrapur 442406

That Party No.2 agreed to extend all necessary assistant to bonafide students of party no. 1 such as practical training, clinical posting etc by party No. 2

That this memorandum of understanding is valid for 5 years from the date of 08/10/2022 to 07/10/2027 & fresh memorandum of understanding can be made thereafter with mutual concern.

WITNESSES:

1. Mrs. Gowri Shinde

Party No. 1



Neelu Singh
 President
 Shri Gurukrupa Shikshan Prasarak Mandal, Agour
 Reg. No. 124/155/94

2. Dr. Rohan Ainchwar

Party No. 2

Rohan Ainchwar
 Principal
 Smt. Vimladevi College of Physiotherapy
 Wandhari, Chandrapur

SIGNED BEFORE

S. S. Dubey
 28/10/22
 Mrs. S. S. Dubey, Advocate
 No. 657 (Opp. of India) Chandrapur



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 957172-251965
 Fax : 957172-251965
 Email : rochandrapur@mpcb.gov.in
 Visit At : <http://mpcb.gov.in>



Regional Office,
 Udyog Bhavan, 1st Floor,
 Railway Station Road, Chandrapur
 Chandrapur - 442401

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Storage of Bio-Medical Wastes under Rule 10]

I. File number of authorization and date of issue

RO-CHANDRAPUR/BMW AUTH/1912000345


Date:- 27 / 12 / 2019

- II. Your Online BMW Authorization Application through Web-Portal having UAN: MPCB-BMW_AUTH-0000024897 DL 23/10/2019.
- III. M/s. CHL Multispeciality Hospital & Research Institute is hereby granted an authorization for generation of biomedical waste on the premises situated at Sarkar Nagar Chandrapur Tal. Dist. Chandrapur.
- IV. This authorization shall be in force for a period up to 31/10/2022. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- V. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- VI. No of Beds:- 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
 ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.




 Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur
 Page 1 of 6



M/S KAHALE TRADING CORPORATION

(An ISO 9001:2008 CERTIFIED COMPANY)

CORRESPONDANCE OFFICE ADDRESS:-KAHALE NIWAS BEHIND SAI MANDIR NEAR MAHARASHI SCHOOL CIVIL LINE,CHANDRAPUR 442401

FACTORY AT:- PLOT NO.B-16/1A,NEAR BHARAT GAS GODOWN,MAIN ROAD,MIDC, CHANDRAPUR

BRANCH :- PLOT NO.14,GEETAJALI SOCIETY NEAR KACHORE LAWN SHAM NAGAR ,MANISH NAGAR NAGPUR 440015

Licensed Agency For Maharashtra Fire Services (Govt. Of Maharashtra)

Contact:- (Mr.Rahul Kahale)09970753977 (Mr.Abhijit Kahale) 09730617266

FORM B

[See Section 3(3) and rule 4(2)]

Six monthly Certificates to be given in every January and July by the owner or occupier for compliance of the Fire Prevention and Life Safety Measures.

CERTIFICATE

Certified that I/ We have carried out inspection of the Fire Prevention and Life Safety Measure installed in the following building or premises, namely:-

To,
Chandrapur Health Care Limited
Mul Road, Chandrapur.
Dist: Chandrapur (M.S)

I/We further certify that these installation in the above mention buildings is/are maintained in good repair and efficient condition during the period **January-2022 To June-2022**, as required under the provision of the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mha.HI Of 2007).

The details of the inspection of installation carried out by me/us mentioned in the report appended herewith.

Place: Chandrapur
Date: 08-07-2022

Name Address and License No. Of the Licensed Agency

M/s.KAHALE TRADING CORPORATION

Plot No. 630 Akashwani Road
Civil Lines , Chandrapur-442401

License No. MFS-L.A/157-355



ANIL Digitally signed
by ANIL
PUNDLIKRAO
KAHALE
Date: 2022.07.08
15:49:26 +05'30'

DETAILED POSTAL ADDRESS & LOCATION

M/S KAHALE TRADING CORPORATION PLOT NO.630 AKASHWANI ROAD CIVIL LINES CHANDRAPUR:442401 (M.S)

- Authorized Dealer & Services In
- Fire Extinguishers/Authorized Fire Auditor By MFS
- Fire Hydrant Fire Alarm System Sales & Services
- HYW Flooding System
- Co2/DCP/FM200 Flooding System
- Authorized By MFS (Govt.Of Maharashtra)
- Approved Testing Station (Deptt.Of Explosives)

MAHARASHTRA FIRE SERVICE



Principal
Principal
Smt. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur

CHANDRAPUR CITY MUNICIPAL CORPORATION
CHANDRAPUR



FROM 'C'
{See Rule 5}

CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3
OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1942

This is to certify that Ms. Dr. Rohan V. Anandkar
has been registered under the Maharashtra Nursing Homes Registration Act, 1942, as
owner of EMH Multiplespeciality Hospital and research center
situated at OPP Adalash petrol pump, Sarkar Nagar, Gandhinagar
and has been authorized to carry on the said nursing home. Chandrapur.

- ❖ Registration No. : 132/2021
- ❖ Date of Registration/Renewal : 01/04/2021
- ❖ Place : Chandrapur
- ❖ Beds : 50
 - a) Number of Maternity beds : 10
 - b) Number of other patient beds : 40
 - c) Total number of beds (a+b) : 50
- ❖ Date of issue of Certificate : 08/09/2021

This certificate of registration shall be valid upto 31st March 2021.



Medical Officer of Health
Chandrapur City Municipal Corporation,
Chandrapur

Note: This Certificate shall be displayed at conspicuous place in the Nursing Home.



[Signature]
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



At. Wandhari. Post, Tadali, Chandrapur - 442 406
Ph. No.: (07172) 645601, 645691
Reg. No.: F-11568 (NGP) under trust Act 1950
Reg.No.: MS/165/94/Nagpur under Society Act 1860

Ref. No.

Date :- 08/10/2022

To,
Respected
Dr. Kuber Kotpalliwar
Shri Sai Divine Cure Multispecialty Hospital
Bhanapeth ward Chandrapur

1325
08/10/2022

Subject :- Requirement for Consent of 100 Beds for proposed new **Smt. Vimladevi College of Physiotherapy**, Wandhari Chandrapur.

Respected Sir,

With the reference to above mentioned subject, our society Shri Gurukrupa Shikshan Prasarak Mandal is willing to start a new Physiotherapy College and institute under medical education for that we are humbly requesting you to give us consent of 100 beds from your **Shri Sai Divine Cure Multispecialty Hospital Bhanapeth ward** Chandrapur for clinical teaching of BPTH students.

Respected Sir, our Shri Gurukrupa Shikshan Prasarak Mandal is already running Smt. Vimladevi Ayurvedic Medical College & Hospital Wandhari, Chandrapur from 2010 to serve the society by providing health care in rural area. At present we are running **100 bedded AELC NABH Accredited** ayurvedic hospital with all the equipped facility and resources along with MPCB accreditation, Bombay Nursing Home Act and Fire Permission.

Respected Sir, we want to upgrade and enhance our medical services towards poor people and society hence our society had taken initiative and decided to start a new Physiotherapy Institution "**Smt. Vimladevi College of Physiotherapy**" at our premises. We are humbly requesting you to issue us **a consent of 100 beds** from your **Shri Sai Divine Cure Multispecialty Hospital, Bhanapeth ward** Chandrapur for teaching and learning process for this course.

Thanks and oblige.

Received:-

Kuber

Indira Jandhyal

President


Shri Gurukrupa Shikshan Prasarak Mandal
Smt. Vimladevi Ayurvedic Medical College
& Hospital Wandhari, Chandrapur

Prakash

Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur






महाराष्ट्र MAHARASHTRA

© 2021 ©

Notarial Regn.
Entry No. 3323
Date 28/10/2022



MEMORANDUM OF UNDERSTANDING

STAMP CLERK
TREASURY OFFICE CHANDRAPUR

This Memorandum of Understanding has been signed between “**Smt. Vimladevi College of Physiotherapy**” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal **Wandhari, Ghugus Road Chandrapur 442406**

AND

Dr. Kuber Kotpalliwar, Shri Sai Divine Cure Multispecialty Hospital
Bhanapeth Ward, Kasturba Road, Chandrapur 442401

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.



[Signature]
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

जादवपुर-३
 प्रकाश/अनुच्छेद क्रमांक Memorandum of Understanding
 दम्त नोटणी कार्यालय आहेत का _____
 नोटणी त्रिपुहार असल्यास _____
 दुय्यम त्रिपुहार कार्यालयाच नाव _____
 निलकामीचे क्रमांक _____
 मोजकपणा संख्या _____
 पुर्वाधिकारि क्रमांक _____
 दुय्यम संख्या _____
 क्रमांक _____
 बांधणी क्रमांक _____
 त्रिपुहार क्रमांक _____
 कायदा क्रमांक _____
 क्रमांक _____
 क्रमांक _____
 क्रमांक _____
 क्रमांक _____

Vimladevi Sairupa Shikshan Prasarak Mandal
 1002
 3722 दिनांक 06/10/22
[Signature] 211

The memorandum of understanding has been signed between PROPOSED "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406 as Party No. 1

AND

Dr. Kuber Kotpalliwar, Shri Sai Divine Cure Multispecialty Hospital Bhanapeth Ward, Kasturba Road, Chandrapur 442401 Party No. 2 Dt. 08th October 2022 & witness as under that.

That Party No. 2 is having 100 Bedded modern hospital unit at Bhanapeth Ward, Kasturba Road, Chandrapur 442401 & Party No. 1 is having a full fledged academic institution (proposed) degree course in Physiotherapy Wandhari, Ghugus Road Chandrapur 442406

That Party No.2 agreed to extend all necessary assistant to bonafide students of party no. 1 such as practical training, clinical posting etc by party No.2

For the Services which will be provided by Party No. 2, Party No. 1 is ready to pay service charge/fees which ever applicable at General Hospital chandrapur on that time.

That this memorandum of understanding is valid for 5 years from the date of 10/10/2022 to 09/10/2027 & fresh memorandum of understanding can be made thereafter with mutual concern.

WITNESSES.

1. *[Signature]*
Dr. pramali Pisode



Party No. 1

[Signature]
Principal

Shri Gurukrupa Shikshan Prasarak Mandal
Wandhari, Ghugus Road, Chandrapur

2. *[Signature]*
[Signature]



[Signature]

Principal
Smt. Vimladevi College of Physiotherapy
Wandhari, Chandrapur

SIGNED BEFORE
[Signature]
28/10/2022
Mrs. S S. Dabey, Advocate

Dr. Kuber
M.D. F.C.P.S.

CHANDRAPUR CITY MUNICIPAL CORPORATION CHANDRAPUR



FROM 'C'
{See Rule 5}

CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3 OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1949

This is to certify that Shri./Smt. Dr. Kuber M. Kotpalliwar
has been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of Shri Sai Divine Care Multispeciality Hospital
situated at Bhanapeth Ward, Chandrapur
and has been authorized to carry on the said nursing home.

- ❖ Registration No. : 60/2011
- ❖ Date of Registration/Renewal : 01/04/2021
- ❖ Place : Chandrapur
- ❖ Beds : 100
 - a) Number of Maternity beds : 10
 - b) Number of other patient beds : 90
 - c) Total number of beds (a+b) : 100
- ❖ Date of issue of Certificate : 08/09/2021

This certificate of registration shall be valid upto 31st March 2024.



[Signature]

Principal
Vimladevi College of Physiotherapy
Wandhari, Chandrapur

[Signature]
Medical Officer of Health
Chandrapur City Municipal Corporation,
Chandrapur

Note : This Certificate shall be displayed at conspicuous place in the Nursing Home.

FIRE SOLUTIONS

STAY SAFE

ENGINEERS

FORM B

[See Section 3(2) and rule 4(2)]

Six Monthly certificate to be given in every January and July by the owner or the occupier for compliance of the Fire Prevention and Life Safety Measures.

CERTIFICATE

Certified that I/We have carried out inspection of the Fire prevention and Life Safety Measures installed in the following building or premises, namely:

**SHRI SAI DIVINE CURE MULTI SPECIALITY HOSPITAL
Bhanapeth Ward Chandrapur**

I/We further certify that these installations in the above mentioned buildings are maintained in good repair and efficient conditions during the period 01/01/2022 to 31/06/2022 as required under the provision of the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mah. III of 2007). The details of the inspection of installations carried out by me/us are mentioned in the report appended herewith.

Place: Chandrapur

AJAY CHANDRAKANT Digitally signed by AJAY
DHOMNE CHANDRAKANT DHOMNE
Date: 2022.07.18 14:55:19 +05'30'

Signature and Address of the Licensed Agency.


Date: 18/07/2022

Regd. Office:-
3, Akash Nagar,
Janewada, Ring Road,
Agpur-34

Contacts:-
Mr. Ajay Dhomne- 9423925643
Tel. No. 8087776551

E-mail:-
fire.solutions@rediffmail.com
ajay_dhomne@rediffmail.com




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: <http://mpcb.gov.in>

E-mail: ps0@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor,

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai - 400 022

Red/LSI

Date: 09/10/2020.

Consent No: Format 1.0/BO/PSO/HOD-2010000061

To,
M/s. Shri. Sai Divine Cure
Multispeciality Hospital,
Bhanapeth Ward,
Chandrapur- 442402.
Email: ssdcmhospital@gmail.com

Sub : Combined Consent to Operate & BMW Authorization under RED Category.

- Ref :**
1. Application of consent to operate and BMW authorization on 27.07.2020
 2. SCN for Refusal issued on 31.07.2020
 3. Personal hearing extended on 25.08.2020
 4. Fees uploaded on 27.08.2020
 5. Report of SRO- Chandrapur vide email on 01.09.2020
 6. Documents uploaded on 27.09.2020

Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The conditional consent to operate & BMW authorization is granted for period from 04.06.2020 to 04.06.2023
2. The capital investment of the HCE is Rs. 6.16 Crore.
(As per C. A. Certificate submitted)
3. The Consent is valid for the Activity of-

Sl. No.	Activity	Beds
1.	Hospital	100 Nos.
	a) Total Plot Area	3245.00 sq. mtrs
	b) Total Built up Area	2895.00 sq. mtrs

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sl. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	--	As per Schedule -I	On land for gardening
2.	Domestic effluent	10.0	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sl. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (125.0 KVA)		As per Schedule -I



Principal

Smt. Vimaladevi College of Physiotherapy
Wandhari, Chandrapur

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/Year	--

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. This consent is issued subject to conditions mentioned below,
- i) The "authorized Person" M/s. Shri. Sai Divine Cure Multispeciality Hospital Chandrapur shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.
 - ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization
 - iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
 - iv) You shall submit details of Management and Handling of outdated, discarded unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.
 - (iv) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2011 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - (v) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
 - (vi) You shall establish Bar code system within one year.
 - (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - (viii) You shall maintain day to day basis and disseminate the monthly record including Annual report on its website within two years from the date of notification.
 - (ix) As per report of SRO- Chandrapur Bank Guarantee of Rs. 1,00,000/- is eligible for release for provision of STP and Rs. 50,000/- is eligible for release for provision of BMW separate storage facility as per earlier G.O.
 - (x) You shall submit separate Bank Guarantee of Rs. 1,50,000/- towards compliance of condition mentioned at Annexure - IV to the Regional Office, Chandrapur within 30 days.



Principal
Smt. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur



At. Wandhari, Post, Tadali, Chandrapur - 442 406
Ph. No.: (07172) 645601, 645691
Reg. No.: F-11568 (NGP) under trust Act 1950
Reg.No.: MS/165/94/Nagpur under Society Act 1860

Ref. No. SVAMC
OW No. 1368
Date 22/10/2022

Date :- 22/10/2022

To,
Respected
Dr. Vishwas Zade
Spandan Heart Hospital, Chandrapur

Subject :- Requirement for Consent of 50 Beds for proposed new Smt.
Vimladevi College of Physiotherapy, Wandhari Chandrapur.


Respected Sir,

With the reference to above mentioned subject, our society Shri Gurukrupa Shikshan Prasarak Mandal is willing to start a new Physiotherapy College and institute under medical education for that we are humbly requesting you to give us consent of 50 beds from your **Spandan Heart Hospital, Chandrapur** for clinical teaching of BPTH students.


Respected Sir, our Shri Gurukrupa Shikshan Prasarak Mandal is already running Smt. Vimladevi Ayurvedic Medical College & Hospital Wandhari, Chandrapur from 2010 to serve the society by providing health care in rural area. At present we are running **100 bedded AELC NABH Accredited** ayurvedic hospital with all the equipped facility and resources along with MPCB accreditation, Bombay Nursing Home Act and Fire Permission.

Respected Sir, we want to upgrade and enhance our medical services towards poor people and society hence our society had taken initiative and decided to start a new Physiotherapy Institution "**Smt. Vimladevi College of Physiotherapy**" at our premises. We are humbly requesting you to issue us a **consent of 50 beds** from your **Spandan Heart Hospital, Chandrapur** for teaching and learning process for this course.


Thanks and oblige.


Dr. Vishwas Zade
MD (Internal Medicine)
Diabetologist/Cardiologist
Reg. No. 77109





President

Shri Gurukrupa Shikshan Prasarak Mandal
Smt. Vimladevi Ayurvedic Medical College
& Hospital Wandhari, Chandrapur


Smt. Gurukrupa Shikshan
Prasarak Mandal, Wandhari,
Reg. No. 11568


Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



महाराष्ट्र MAHARASHTRA

© 2021 ©

ZW 567576



Notarial Rego

Entry No 3366

Date 27/11/2022

- 5 SEP 2022



MEMORANDUM OF UNDERSTANDING


This Memorandum of Understanding has been signed between "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406

AND

Dr. Vishwas Zade


Dr. Vishwas Zade, Spandan Heart Hospital, Behind Jayant Talkies Chandrapur - 442402.

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.



Dr. Vishwas Zade
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur


Dr. Vishwas Zade
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



महाराष्ट्र MAHARASHTRA

© 2021 ©

ZW 567576




Notarial Rega

Entry No 3366

Date 27/11/2022

- 5 SEP 2022



MEMORANDUM OF UNDERSTANDING


This Memorandum of Understanding has been signed between “**Smt. Vimladevi College of Physiotherapy**” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406

AND

Dr. Vishwas Zade

Dr. Vishwas Zade, Spandan Heart Hospital, Behind Jayant Talkies Chandrapur - 442402.

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.



Principal
Smt. Vimladevi College of Physiotherapy
Wandhari, Chandrapur

Dr. Vishwas Zade
Diabetologist/Cardiologist

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 957172-251965

Fax : 957172-251965

Email : rochandrapur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



"Your Service is our Duty"

Udyog Bhavan, 1st Floor,
Opp. Bus Stand,
Railway Station Road,
Chandrapur - 442401

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Storage of Bio-Medical Wastes under Rule 10]

I. File number of authorization and date of issue


RO-CHANDRAPUR/BMW AUTH/2203000912


Date:- 31 / 03 / 2022

- II. Your Online BMW Authorization Application through Web-Portal having UAN: MPCB-BMW_AUTH-0000041323 Dt. Mar 22, 2021.
- III. M/s. Spandan Heart And Child Hospital is hereby granted an authorization for generation of biomedical waste on the premises situated Near BSNL Office, Behind Jayant Talkies, Chandrapur, Tal. & Dist. Chandrapur.
- IV. This authorization shall be in force for a period up to 30/12/2025. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- V. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- VI. No of Beds:- 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF


The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. CBMWTSDF
		b) Animal Anatomical Waste	NIL		
		c) Soiled Waste	15		
		d) Expired or Discarded Medicines	7		
		e) Chemical Waste	12	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	5		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	NIL	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		h) Microbiology Biotechnology and other clinical laboratory waste	3	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	NIL	Red coloured non chlorinated plastic bags or containers.	
3	White (Translucent)	Waste sharps including Metals	5	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	NIL	Cardboard boxes with Blue colored marking	

6. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986

7. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal site in accordance with the BMW rules.




You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

8. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) Non-treated BMW shall be kept stored beyond a period of 48 hours.

09. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste,

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121° C and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135° C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
 - or
 - (iii) a temperature of not less than 149° C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following.
 - (i) a temperature of not less than 121° C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135° C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters*:- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record



dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.

- (V) *Validation test: Spore testing.* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1×10^9 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.*— A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

10. CONDITIONS UNDER AIR ACT:

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment:

Industry shall provide dust collector of sufficient capacity to control the emissions.

Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- g. D.G. Set shall be operated only in case of power failure.



T. Prasad

Principal

St. Vimladevi College of Physiotherapy
Wandhari, Chandrapur

Page 4 of 6

h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

11. Standards for Stack Emissions:

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type of Fuel	Quantity	UOM
--	--	--	--

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
--	--	--

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(v) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.

12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

14. HCE shall total Bank Guarantee of Rs. 1,50,000/- valid for the period upto 31/03/2025 in favour of Regional Officer, M.P.C. Board, Chandrapur within 15 days. Specific conditions with Bank Guarantees along with time bound programme for compliance as per Board's circular no MPCB/PSO/BMW/B-1825 dtd 10/04/2013 is as follows:-

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs.)
I(A)	Operation and Maintenance		
1	To segregate and Handle BMW as per rule	Continuous	25000
2	Operation and Maintenance of ETP to achieve prescribed discharged standards.	Continuous	25000
I(B)	Records		
1	To Maintain records of BMW submission of Annual Report in Form-II before 31st January	Continuous	25000



[Signature]
Principal

Wanghane, Chandrapur

2	To Maintain records of BMW material received / delivered to authorized party / CBMWTSDF (Transporters only)	Continuous	25000
II Performance			
1	To provide Separate BMW storage facility	Six	25,000
2	Effluent treatment plant not provided / need up gradation	Six	25,000
		Total	1,50,000/-
Rupees One Lakh Fifty Thousand only			

15. You shall submit compliance of each Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.
16. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016 & amendment 2018.
17. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
18. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
19. The hospital shall apply immediately for consent to operate with required/compulsory document with consent fees.

For and on behalf of the
Maharashtra Pollution Control Board

(A. M. Kare)

Regional Officer, Chandrapur

To,
M/s. Spandan Heart And Child Hospital
Near BSNL Office, Behind Jayant Talkies, Chandrapur,
Tal. & Dist. Chandrapur.

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	Transaction Number	Date
1	2500/-	TXN2202003500	25/02/2022
2	32500/-	TXN2203004077	29/03/2022

Copy Submitted to:-

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion, Mumbai

Copy to:-

Sub-Regional Officer, M. P. C. Board, Chandrapur.

For information necessary compliance of condition mentioned in the authorization. He / She is also directed to ensure the timely compliance of condition no. 14.



(Signature)

Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



M/S KAHALE TRADING CORPORATION

(An ISO 9001:2008 CERTIFIED COMPANY)

CORRESPONDANCE OFFICE ADDRESS:-KAHALE NIWAS BEHIND SAI MANDIR NEAR MAHARASHI SCHOOL CIVIL LINE, CHANDRAPUR 442401

FACTORY AT:- PLOT NO.B-16/1A, NEAR BHARAT GAS GODOWN, MAIN ROAD, MIDC, CHANDRAPUR

BRANCH :- PLOT NO.14, GEENTAJALI SOCIETY NEAR KACHORE LAWN SHAM NAGAR, MANISH NAGAR NAGPUR 440015

Licensed Agency For Maharashtra Fire Services (Govt. Of Maharashtra)

Contact:- (Mr. Rahul Kahale) 09970753977 (Mr. Abhijit Kahale) 09730617266

FORM B

[See Section 3(3) and rule 4(2)]

Six monthly Certificates to be given in every January and July by the owner or occupier for compliance of the Fire Prevention and Life Safety Measures.

CERTIFICATE

Certified that I/ We have carried out inspection of the Fire Prevention and Life Safety Measure installed in the following building or premises, namely:-

To,
Spandan Heart Hospital (Dr. Vishwas Zade)
Behind Jayant Talkies
Chandrapur.
Dist: Chandrapur (M.S)

I/We further certify that these installation in the above mention buildings is/are maintained in good repair and efficient condition during the period **Jan-2022 To June-2022**, as required under the provision of the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mha.III Of 2007).
The details of the inspection of installation carried out by me/us mentioned in the report appended herewith.


Place: Chandrapur

Date: 05-07-2022

Name Address and License No. Of the Licensed Agency

M/s.KAHALE TRADING CORPORATION

Plot No. 630 Akashwani Road
Civil Lines , Chandrapur-442401



ANIL
PUNDLIKRAO
AO KAHALE
Date: 2022.07.05
10:20:17 +05'30'

Digitally signed
by ANIL

PUNDLIKRAO
KAHALE

DETAILED POSTAL ADDRESS & LOCATION

M/S KAHALE TRADING CORPORATION PLOT NO.630 AKASHWANI ROAD CIVIL LINES CHANDRAPUR,442401 (M.S)

- Authorized Dealer & Services In
- Fire Extinguishers/Authorized Fire Auditor By MFS
- Fire Hydrant Fire Alarm System Sales & Services
- HVW Flooding System
- Co2/DCP/FM200 Flooding System
- Authorized By MFS (Govt.Of Maharashtra)
- Approved Testing Station (Deptt.Of Explosives)

MAHARASHTRA FIRE SERVICES



FSAN MEMBER



Toussur

Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



M/S KAHALE TRADING CORPORATION

(An ISO 9001:2008 CERTIFIED COMPANY)

CORRESPONDANCE OFFICE ADDRESS:-KAHALE NIWAS BEHIND SAI MANDIR NEAR MAHARASHI SCHOOL CIVIL LINE, CHANDRAPUR 442401

FACTORY AT:- PLOT NO.B-16/1A, NEAR BHARAT GAS GODOWN, MAIN ROAD, MIDC, CHANDRAPUR

BRANCH :- PLOT NO.14, GEENTAJALI SOCIETY NEAR KACHORE LAWN SHAM NAGAR, MANISH NAGAR NAGPUR 440015

Licensed Agency For Maharashtra Fire Prevention Measures (Govt. Of Maha)

Contact:- (Mr. Rahul Kahale) 09970753977 (Mr. Abhijit Kahale) 09730617266

FORM B

[See Section 3(3) and rule 4(2)]

Six monthly Certificates to be given in every January and July by the owner or occupier for compliance of the Fire Prevention and Life Safety Measures.

CERTIFICATE

Certified that I/ We have carried out inspection of the Fire Prevention and Life Safety Measure installed in the following building or premises, namely:-

To,
Spandan Heart Hospital (Dr. Vishwas Zade)
Behind Jayant Talkies
Chandrapur.
Dist: Chandrapur (M.S)

I/We further certify that these installation in the above mention buildings is/are maintained in good repair and efficient condition during the period **Jan-2022 To June-2022**, as required under the provision of the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mha.III Of 2007).
The details of the inspection of installation carried out by me/us mentioned in the report appended herewith.

Place: Chandrapur

Date: 05-07-2022

Name Address and License No. Of the Licensed Agency

M/s.KAHALE TRADING CORPORATION

Plot No. 630 Akashwani Road
Civil Lines , Chandrapur-442401



ANIL
PUNDLIKRAO
AO KHALE
Digitally signed
by ANIL
PUNDLIKRAO
KAHALE
Date: 2022.07.05
10:20:17 +05'30'

DETAILED POSTAL ADDRESS & LOCATION

M/S KAHALE TRADING CORPORATION PLOT NO.630 AKASHWANI ROAD CIVIL LINES CHANDRAPUR,442401 (M.S)

- Authorized Dealer & Services In
- Fire Extinguishers/Authorized Fire Auditor By MFS
- Fire Hydrant Fire Alarm System Sales & Services
- HVW Flooding System
- Co2/DCP/FM200 Flooding System
- Authorized By MFS (Govt.Of Maharashtra)
- Approved Testing Station (Deptt.Of Explosives)

MAHARASHTRA FIRE SERVICE



FSAN MEMBER



Principal
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

**CHANDRAPUR CITY MUNICIPAL CORPORATION
CHANDRAPUR**



FROM 'C'
{See Rule 5}

**CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3
OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1949**

This is to certify that *Shri./Smt. Dr. Vishwas Anandrao Lade*
has been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of *Spandan Heart and Child Hospital*
situated at ^{near} *Jayant Talkies, Chandrapur*
and has been authorized to carry on the said nursing home.


- ❖ Registration No. : 032/2011
- ❖ Date of Registration/Renewal : 01 / 04 / 20 21
- ❖ Place : Chandrapur
- ❖ Beds : 50
 - a) Number of Maternity beds : 00
 - b) Number of other patient beds : 50
 - c) Total number of beds (a+b) : 50
- ❖ Date of issue of Certificate : 29 / 11 / 20 21.

This certificate of registration shall be valid upto 31st March 2024.




[Signature]
Medical Officer of Health
Chandrapur City Municipal Corporation,
CHANDRAPUR
Chandrapur

Note : This Certificate shall be displayed at conspicuous place in the Nursing Home.



[Signature]
Principal
Smt. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur





महाराष्ट्र MAHARASHTRA

2021

ZW 567578

Notal Regr.
3322
Date: 28/10/2022



MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding has been signed between “Smt. Vimladevi College of Physiotherapy” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406

AND

Dr. Ambrish Bukkwar, Bukkwar Heart and Critical Care Hospital Warora Naka, Chandrapur 442401

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.

Ambrish Bukkwar

Vimladevi

ना प्रकार / अनुच्छेद क्रमांक Memorandum of Understanding
 दम्त नोंदणी करणार जाहेत का
 नोंदणी होणार जाणवणार
 मुख्य निबंधक जाणवणार नाव
 शि. नोंदणी नोंदणी
 नोंदणी रचणार
 मुख्य निबंधक जाणवणार नाव विमलदेवी डायुपेथिक गुरुकुल शाळा
 शि. नोंदणी नोंदणी नाव
 नोंदणी करणार नाव
 नोंदणी नोंदणी
 नोंदणी नोंदणी अन् क्र. 1001
 मुख्य निबंधक जाणवणार नाव 37719 दिनांक 06/10/22
 नोंदणी नोंदणी
 नोंदणी नोंदणी

1 / 2 / 1

The memorandum of understanding has been signed between PROPOSED “Smt. Vimladevi College of Physiotherapy” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406 as Party No. 1

AND

Dr. Ambrish Bukkwar, Bukkwar Heart and Critical Care Hospital Warora Naka, Chandrapur 442401 Party No. 2 Dt. 08th October 2022 & witness as under that.

That Party No. 2 is having 50 Bedded modern hospital unit at Near Adarsh Petrol Pump, Sarkar Nagar, Mul road Chandrapur 442401 & Party No. 1 is having a full fledged academic institution (proposed) degree course in Physiotherapy Wandhari, Ghugus Road Chandrapur 442406

That Party No.2 agreed to extend all necessary assistant to bonafide students of party no. 1 such as practical training, clinical posting etc by party No. 2

That this memorandum of understanding is valid for 5 years from the date of 08/10/2022 to 07/10/2027 & fresh memorandum of understanding can be made thereafter with mutual concern.

WITNESSES:

- Private
- Real

Party No. 1 Indrakhingh
 Party No. 2 Bukhan

SIGNED BEFORE
28/10/2022
 Mrs. S S Dubey, Advocate
 NOTARY (Govt of India) Chandrapur

Dr. A. V. Bukkwar
 M.B.B.S., M.D. (Physio)
 D. Diabetes
 Reg. No. 200103
 Old Warora Naka
 Chandrapur

**CHANDRAPUR CITY MUNICIPAL CORPORATION
CHANDRAPUR**



FROM 'C'
(See Rule 5)

**CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3
OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1949**

This is to certify that Shri/Smt. Dr. Amrish V. Bukkavar
has been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of Bukkavar Heart & Critical Care Hospital
situated at Near Fly Over, Civil Lines, Chandrapur
and has been authorized to carry on the said nursing home.

- ❖ Registration No. : 074/2011
- ❖ Date of Registration/Renewal : 01/04/2021
- ❖ Place : Chandrapur
- ❖ Beds : 50
 - a) Number of Maternity beds : 00
 - b) Number of other patient beds : 50
 - c) Total number of beds (a+b) : 50
- ❖ Date of issue of Certificate : 29/11/2021

This certificate of registration shall be valid upto 31st March 20 24.



[Signature]
Medical Officer of Health
Chandrapur City Municipal Corporation,
CHANDRAPUR

Note : This Certificate shall be displayed at conspicuous place in the Nursing Home.



[Signature]
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



चंद्रपूर शहर महानगरपालिका, चंद्रपूर

क्रमांक : अग्निशमन/अग्निशमन विभाग/2020-1FRCMC-0441

दिनांक : 22/02/2020.

अग्निशमन ना - हरकत परवाना

प्रमाणपत्र देण्यात येते की, अग्निसुरक्षा कायद्याचे परीक्षण करण्याकरीता संचालक महाराष्ट्र अग्निशमन सेवा, मुंबई यांनी निश्चित केलेल्या एजन्सी यांनी महाराष्ट्र आग प्रतिबंधक व अग्निशमन उपाययोजना अधिनियम 2006 अंतर्गत, खाली नमुद व्यावसायिक ठिकाणातील अग्निशमन व्यवस्थेचे परीक्षण (फायर सेफ्टी ऑडीट) व आग प्रतिबंधक उपाययोजनेची तपासणी दिनांक 19-AUG-2020 रोजी केली. त्यांनी खालील प्रमाणे अग्निप्रतिबंधक उपाययोजना मध्ये नुसते असल्याचे प्रमाणित केले आहे.

ठिकाण : Bukkawar Heart & Critical Care Hospital
नाम : & Research Institute Chandrapur
ठिकाण : Old warora naka,
Civil Line, Chandrapur.
उपाययोजनेचे
विवरण : फॉर्म 'ब' प्रमाणे
परिष्कार
एजन्सी : M/s. Fire Solutions
एजन्सीचे
लायसन्स नं : MFS-LA/RF-0294

अग्निशमन प्रतिबंधक उपाययोजनेची तपासणी दर सहा महिन्यात (जाने / जुलै) चंद्रपूर शहर महानगरपालिका ने निश्चित केलेल्या एजन्सी कडून करवून घेणे व्यावसायिकांना बंधनकारक आहे. सदर प्रमाणपत्र यापुढे नुतनीकरण करतेवेळी चंद्रपूर शहर महानगरपालिका च्या कर विभागाकडून लु वरबाचा कर भरणा केल्याची कर पावती जोडणे बंधनकारक असेल.


उपायुक्त

चंद्रपूर शहर महानगरपालिका, चंद्रपूर





Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

MAHARASHTRA POLLUTION CONTROL BOARD

Phone 95 172-251965
Fax 95 172-251965
Email techandrapur@mpcb.gov.in
Web Site <http://mpcb.gov.in>



Regional Office
Udyog Bhavan, 1st Floor
Railway Station Road, Chandrapur
Chandrapur - 442401

LETTER OF BIO-MEDICAL WASTE AUTHORIZATION (Authorization for Generation, Storage of Bio-Medical Wastes under Rule 10)

I. File number of authorization and date of issue

RO-CHANDRAPUR / BMW AUTH / 21020003 46


Date: 22/02/2021

- II. Your Online BMW Authorization Application through Web-Portal fixing UAN: MPCB-BMW_AUTH-0000181621 Dt. 1st 27. 2021
- III. M/s. Bukkwar Heart & Critical Care Hospital is hereby granted an authorization for generation of biomedical waste on the premises situated at Near Old Warora Naka, Civil Lines Chandrapur, Tal. & Dist. Chandrapur.
- IV. This authorization shall be in force for a period up to 31/12/2023. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.
- V. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- VI. No. of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The authorized person shall not rent, lend or sell the biomedical waste or facility. The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator or Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to use the facility.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

Schedule III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF
 The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to
 CBMWTSDF in waste categories and quantities listed here in below

Sr No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	170	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. CBMWTSDF
		b) Animal Anatomical Waste	NIL		
		c) Soiled Waste	50		
		d) Expired or Discarded Medicines	40		
		e) Chemical Waste	55	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	40		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	NIL		
		h) Microbiology Biotechnology and other clinical laboratory waste	15	Autoclave safe plastic bags or containers	
2	Red	Contaminated (Recyclable) waste	NIL	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	40	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	NIL	Cardboard boxes with Blue colored marking	

6. The liquid/solid waste generated from the treatment activity (from laboratory and washing/cleaning/hautekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

7. BMW shall be treated and disposed of in accordance with Schedule II and in compliance with the standards prescribed in Schedule V of said Rules.

8. You shall setup requisite BMW treatment facilities like incinerator, autoclave, etc. on your waste site etc. at the disposal site in accordance with the BMW rules.



[Signature]

Principal

Sri. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur


You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

8. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.

09. Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

- (I) When operating a gravity flow autoclave, medical waste shall be Subjected to:
 - (i) a temperature of not less than 121° C and pressure of 15 pounds per Square Inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135° C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes;
 - or
 - (iii) a temperature of not less than 149° C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121° C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135° C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) Recording of operational parameters. - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record



dates, time of day, and identification number and operating parameters throughout the entire length of the autoclave cycle.

- (V) **Validation test - Spore testing** - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus pasteurianus* spores using vials or spore strips, with at least 1×10^7 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure (temperature less than 121°C or a pressure, less than 15 psi).
- (VI) **Routing Test** - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different locations to ensure that the inner content of the package has been adequately autoclaved.

10. CONDITIONS UNDER AIR ACT :


- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment:

Industry shall provide dust collector of sufficient capacity to control the emissions.

Conditions for D.G. Set

- A. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- B. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- C. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.
- D. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- E. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- F. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise level of DG set from deteriorating with use.
- G. DG set should be operated only in case of power failure.



[Signature]

h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set

11. Standards for Stack Emissions:

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type of Fuel	Quantity	UOM

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.

(iii) The applicant shall provide parts in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.

(iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(v) Other Conditions:

- 1) The industry should not raise any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.


12. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

13. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

14. HCE shall total Bank Guarantee of Rs. 1,50,000/- valid for the period upto 31/12/2023 in favour of Regional Officer, M.P.C. Board, Chandrapur within 15 days. Specific conditions with Bank Guarantees along with time bound programme for compliance as per Board's circular no MPCB/PSO/BMW/B-1825 dtd 10/04/2013 is as follows:-

Sr. No.	Activity/Condition to be Complied	Compliance Timeline (Months)	Amount of Bank Guarantee (Rs.)
I(A)	Operation and Maintenance		
1	To segregate and Handle BMW as per rule	Continuous	25,000
2	Operation and Maintenance of ETP to achieve prescribed discharged standards.	Continuous	25,000
I(B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form-II before 31st January	Continuous	15,000



Mlu



[Signature]

Principal

Smt. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur

2	To Maintain records of BMW material received / delivered to authorized party / CBMWTSDF (Transporters only)	Continuous	10,000
11	Performance		
1	To provide Separate BMW storage facility	Six	25,000
2	Effluent treatment plant not provided need up gradation	Six	50,000
		Total	1,50,000/-
Rupees One Lakh Fifty Thousand only			

15. You shall submit compliance of each Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.
16. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016 & amendment 2018.
17. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
18. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
19. The hospital shall apply immediately for consent to operate with required/ compulsory document with consent fees.

For and on behalf of the
Maharashtra Pollution Control Board

(A. M. Kare)

I/c. Regional Officer, Chandrapur

To,
M/s. Bukkawat Heart & Critical Care Hospital
Near Old Warora Naka, Civil Lines Chandrapur,
Tal. & Dist. Chandrapur.

Authorization Fees Received:-

Sr. No.	Amount (Rs.)	Transaction Number	Date
1	7500/-	TXN2101002580	27/01/2021

Copy Submitted to:

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion Mumbai

Copy to

Sub-Regional Officer, M. P. C. Board, Chandrapur

For information necessary compliance of condition mentioned in the authorization. He / She is also directed to ensure the timely compliance of condition no. 14.



Principal
St. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur




महाराष्ट्र MAHARASHTRA

Notarial Regr.

Entry No. 3185

Date 11/10/2023



32AA 677351



- 4 SEP 2023

STAMP CLERK

TREASURY OFFICE, CHANDRAPUR


MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding has been signed between "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406

AND

Christ Hospital, Jyoti Nagar, Tukum Chandrapur 442401

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavor to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.



Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

१. स्थापना प्रकार / अनुच्छेद क्रमांक १५५५५
 २. वस्तु नोंदणी करमात्र आहेत काय
 ३. नोंदणी होणार असायनात
 ४. दुय्यम विक्रेत्या कायनातनात नाव
 ५. मिळवणीची तरतूद
 ६. नोंदवता कायनात
 ७. मुद्रांक विभागा येथे कायनातनात
 ८. वस्तुनका कायनातनात
 ९. हस्ताक्षराणा
 १०. मुद्राका कायनातनात
 ११. दिनांक 11 SEP 2023

The memorandum of understanding has been signed between PROPOSED "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406 as Party No. 1

AND

Christ Hospital, Jyoti Nagar, Tukum Chandrapur 442401 Party No. 2 Dt. 03rd October 2023 & witness as under that.

That Party No. 2 is having 100 Bedded modern hospital unit at Jyoti Nagar, Tukum Chandrapur 442401 & Party No. 1 is having a fully fledged academic institution (proposed) degree course in Physiotherapy Wandhari, Ghugus Road Chandrapur 442406


That Party No.2 agreed to extend all necessary assistant to bonafide students of party no. 1 such as practical training, clinical posting etc by party No. 2


For the Services which will be provided by Party No. 2, Party No. 1 is ready to pay service charge/fees which ever applicable at General Hospital chandrapur on that time.

That this memorandum of understanding is valid for 5 years from the date of 03/10/2023 to 02/10/2028 & fresh memorandum of understanding can be made thereafter with mutual concern.

WITNESSES:

1.


 Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur


 Party No. 1 11/9/2023

Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406

Party No. 2


Christ Hospital,

Jyoti Nagar, Tukum Chandrapur

Administrator
 CHRIST HOSPITAL
 Jyoti Nagar, Tukum

PO.(M.S.)-402/40

SIGNED BEFORE ME


 Mrs. S.S. Dubey, Advocate
 2
 NOTARY (Cont. of India) Chandrapur



NOTARIAL NOTARIAL

NOTARIAL

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

No:- Format1.0/PSO/UAN No.0000108722/CR/2207000973

Date: 20/07/2022

To,
Christ Hospital
Survey No. 84/1,
Jyoti Nagar, Tukum,
Chandrapur-442401
Email: christhospitalchd@gmail.com
Contact No.:9689940574



Your Service is Our
Duty


Renewal of Combined Consent to 1st Operate and BMW Authorization (CCA) with Increase in bed nos. 50 to 100 under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your BMW authorization & Consent application submitted to MPCB. HQ. Sion, Mumbai on 25.02.2022.
 2. SCN for refusal of application dated 28.03.2022.
 3. Information uploaded by you on online application dated 17,20,25 & 26.05.2022.
 4. SRO, Chandrapur email report dated 30.05.2022.
 5. Information uploaded by you on online application dated 01.06.2022.
 6. Additional fees submitted by you on 06 & 29.06.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2018** To **31-03-2023**
2. The capital investment of the HCF is **₹525.00** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 18436.00 M² with Built-up area 4750.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 034 /2011 valid upto 31-03-2024)
 - I. General Beds : **90 Nos**
 - II. Maternity Beds : **10 Nos**




Principal

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 17.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA


8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.




Principal
Sri. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You have obtained BNH registration certificate on 01.04.2018 for 100 beds and applied on 28.03.2020 (refused on 24.12.2020). it is attracted towards penal fee Rs. 2,50,000/- for delay in submission of application after two years from dated BNH registration obtained. Thereafter, you have submitted fresh application on 16.02.2021 and paid fees on 15.12.2021, it is delayed in submission of fees of application about 10 months, the penal fee for delay in submission of application of Rs. 1,04,166/-. Therefore, you shall submit total penal fee of Rs. 3,54,166/- in the form of Bank Guarantee to Regional Office, Chandrapur within 15 days which is eligible to forfeit.
18. As per the report of SRO, Chandrapur dated 30.05.2022 one time fees of 25,000/- for application refused on 24.12.2020 is collected.
19. You shall submit separate Bank Guarantee of Rs. 3.0 lakhs towards compliance of condition mentioned at schedule - III to Regional Office, Chandrapur within 15 days.
20. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Chandrapur for verification purpose



[Handwritten Signature]

Generated by eSignBlock
 9f184823
 07158482
 94118023
 6bc5ae46
 c9bbb113
 1f30f9a2
 c46eb936
 72c249bc

Signed by: Dr. Amar R. Supate
 Principal Scientific Officer
 For and on behalf of,
 Maharashtra Pollution Control Board
 pso@mpcb.gov.in
 2022-07-20 18:03:19 IST



[Handwritten Signature]

Principal
 Smt. Vimladevi College of Physiotherapy,
 Wandhari, Chandrapur


Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	7500.00	MPCB-DR-0077	04/05/2020	RTGS
2	67500.00	MPCB-DR-10668	28/02/2022	RTGS
3	110000.00	MPCB-DR-12378	06/06/2022	NEFT
4	15000.00	MPCB-DR-0780	20/07/2020	RTGS

Copy to:

1. Regional Officer, MPCB, Chandrapur and Sub-Regional Officer, MPCB, Chandrapur
- Regional Officer, Chandrapur - He is directed to ensure the receipt of Bank Guarantee of Rs. 1.04,116 /- imposed for delay payment changes and forfeit the same with immediate effect. Sub Regional Officer, Chandrapur - He is directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	10	As per clause 'C'	100% Recycle
2	Trade effluent	2	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent


D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 125 KVA	HSD	20.00 Lit/Day	4.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



T. Prasad
Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	95.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur Chandrapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	90.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	10.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	180.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur Chandrapur
3	White (Translucent)	Waste sharps including Metals	840.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	60.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	0.00		



Principal

Smt. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals India Pvt Ltd - Chandrapur, Chandrapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chandrapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.



T. P. ...

Principal


SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Six	50,000.00
2	To upgrade / expand existing STP for treatment of sewage generate from 100 beds.	Six	100,000.00
Total			3,00,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur


SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chandrapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.





Principal
Sri Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur

CHANDRAPUR CITY MUNICIPAL CORPORATION
CHANDRAPUR



FROM 'C'
(See Rule 5)


CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3
OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1949

This is to certify that Shri./Smt. Fr. Jashy Joseph
has been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of Christ Hospital
situated at Jyoti Nagar, Tukum, Chandrapur
and has been authorized to carry on the said nursing home.

- ❖ Registration No. : 034/2011
- ❖ Date of Registration/Renewal : 01/04/2021
- ❖ Place : Chandrapur
- ❖ Beds : 100
 - a) Number of Maternity beds : 10
 - b) Number of other patient beds : 90
 - c) Total number of beds (a+b) : 100
- ❖ Date of issue of Certificate : 08/09/2021

This certificate of registration shall be valid upto 31st March 20 24.




Medical Officer of Health
Chandrapur City Municipal Corporation,
Chandrapur

Note: This Certificate shall be displayed at conspicuous place in the Nursing Home.

CHRIST HOSPITAL
Jyoti Nagar, Tukum
CHANDRAPUR H.P.O.
(M.S.) - 442 401

Principal
Smt. Vimladvi College of Physiotherapy
Ward No. 1, Chandrapur



By clicking on the industry name, industry can now edit their personal information. Kindly find the guidelines here [Click here](#)

Ticketing system has been rolled out for your convenience. Kindly find the guidelines here [Click here](#)

Bank Guarantee module has been rolled out for your convenience. Kindly find the guidelines here [Click here](#)

Select Unit: All Units Select Plant: All Plants Filter Applications View Unit Information

My Applications

Table with 7 columns: Sr No., UAN No., Application Name, Application IIN, Application Date, Amount, Documents. Contains 4 application entries with details like dates, amounts, and document links.

Environment Statement

No Statements found.

Assessment Order List

No Statements found.



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, MAHARASHTRA

Consolidated Statements

No Statements found.

Mass Tree Plantation

To participate MTP drive, Please click on below links:

To add details tree plantation details committed by Christ Hospital click on the links below

Proposed Plantation

Actual Plantation

Principal Smt. Vimladavi College of Physiotherapy Wandhori, Chandrapur

Mass Tree Plantation Dashboard:



At. Wandhari. Post, Tadali, Chandrapur - 442 406

Ph. No.: (07172) 645601, 645691

Reg. No.: F-11568 (NGP) under trust Act 1950

Reg.No.: MS/165/94/Nagpur under Society Act 1860

Ref. No.

Date :- 22/10/2022

SVARIC

OW No. 1369

Date 22/10/2022

To,
Respected
Dr. Ajay Wasade
Wasade Hospital, Chandrapur

Subject :- Requirement for Consent of 60 Beds for proposed new **Smt. Vimladevi College of Physiotherapy, Wandhari Chandrapur.**

Respected Sir,

With the reference to above mentioned subject, our society Shri Gurukrupa Shikshan Prasarak Mandal is willing to start a new Physiotherapy College and institute under medical education for that we are humbly requesting you to give us consent of 40 beds from your **Wasade Hospital, Chandrapur** for clinical teaching of BPTH students.

Respected Sir, our Shri Gurukrupa Shikshan Prasarak Mandal is already running Smt. Vimladevi Ayurvedic Medical College & Hospital Wandhari, Chandrapur from 2010 to serve the society by providing health care in rural area. At present we are running **100 bedded AELC NABH Accredited** ayurvedic hospital with all the equipped facility and resources along with MPCB accreditation, Bombay Nursing Home Act and Fire Permission.

Respected Sir, we want to upgrade and enhance our medical services towards poor people and society hence our society had taken initiative and decided to start a new Physiotherapy Institution "**Smt. Vimladevi College of Physiotherapy**" at our premises. We are humbly requesting you to issue us a **consent of 60 beds** from your **Wasade Hospital, Chandrapur** for teaching and learning process for this course.


Thanks and oblige.



Inder Singh

President

Shri Gurukrupa Shikshan Prasarak Mandal
Smt. Vimladevi Ayurvedic Medical College
& Hospital Wandhari, Chandrapur
Shri Gurukrupa Shikshan
Prasarak Mandal, Nagpur
Reg No MS/165/94



महाराष्ट्र MAHARASHTRA


© 2021 ©

567570

Notarial Regr.

Reg. No. 3321

Date: 28/10/2022



MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding has been signed between “Smt. **Vimladevi College of Physiotherapy**” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal **Wandhari, Ghugus Road Chandrapur 442406**

AND

Dr. Ajay Wasade, Wasade Hospital, Behind Axis Bank, Near Janta College, Civil Lines, Chandrapur - 442402.

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.

न्यायपालिका / अनुच्छेद क्रमांक
 दस्त नोंदणी करणार जाहेत का
 नोंदणी होणार असल्यास
 मुख्य दिवाचक कर्पाठवाय पास
 दिवाचकीचे स्थान
 घोषदत्ता रकम
 मुद्रांक विक्री घेणाऱ्याची नाव विमलादेवी सायुजेडि. मंडळ
 इतर मंडळकारांचे नाव
 इतर असल्यास त्यांचे नाव
 मुद्रांक शुल्क रकम रु. 1000/-
 मुद्रांक विक्री नोंद वली वनू क. दिनांक 06/10/2022
 मुद्रांक विक्री घेणाऱ्याची सही
 कराव आवळे, स्टॅम्प विक्रेता, वाठार
 * 022-2618607070 *

1 / 2 / 1

The memorandum of understanding has been signed between PROPOSED "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406 as Party No. 1

AND

Dr. Ajay Wasade, Wasade Hospital, Behind Axis Bank, Near Janta College, Civil Lines, Chandrapur - 442402. Party No. 2 Dt. 25th October 2022 & witness as under that.

That Party No. 2 is having 60 Bedded modern hospital units at Behind Axis Bank, Near Janta College, Civil Lines, Chandrapur - 442402. & Party No. 1 is having a full fledged academic institution (proposed) degree course in Physiotherapy Wandhari, Ghugus Road Chandrapur 442406

That Party No.2 agreed to extend all necessary assistant to bonafide students of party no. 1 such as practical training, clinical posting etc by party No. 2

That this memorandum of understanding is valid for 5 years from the date of 25/10/2022 to 24/10/2027 & fresh memorandum of understanding can be made thereafter with mutual concern.

WITNESSES:

1. [Signature]

2. [Signature]



[Signature]
 President
 Shri Gurukrupa Shikshan
 Prasarak Mandal, Nagpur
 Reg No. 884/155/04

Party No. 2



SIGNED BEFORE ME

[Signature]
28/10/2022

Mrs. S.S. Dubey, Advocate
NOTARY (Govt. of India) Chandrapur

डॉ. अजय वा. वासाडे
एम.बी.बी.एस., डी. आर्थो (जे.जे. हॉस्पिटल, मुंबई)
(संज. क्र. 83504)
अस्थिरोग तज्ञ

डॉ. मनिषा अ. वासाडे
एम.बी.बी.एस., डी.जी.ओ.
(संज. क्र. 2001/09/3167)
स्त्रीरोग तज्ञ



वासाडे हॉस्पिटल

मल्टी स्पेशालीटी हॉस्पिटल

Date:- 09/02/2022

To,
The commissioner
Chandrapur Municipal Corporation
Chandrapur
Sub: - Renewal of Fire Audit Certificate

Applicant : - Wasade Hospital, Civil Lines Nagpur Road, Chandrapur

Respected Sir,

We have carried the complete process of inspection of Fire Risk Audit from the licensee agency for the Maharashtra Fire Services (Gov. Of Maharashtra) M/s Kahale Fire safety services, Chandrapur on my Premises for Fire Safety.


So, we have completely been-through Fire Inspection with Required Certificates (B-Form) we Request you to please Renewal/Revalidate our Fire Certificate, on the basis of related documents.

Enclose : -

- Application For Renewal
- B-Form Certificate (Original Copy)
- Copy Of CMC NOC Certificate (Last 12 Month)

CC :-

Local Fire Authority



Admin
Mr. Ananta Baburao Urade

Wasade Hospital Chandrapur

Mob: - 9765477127

09/02/22
आयुक्त जीविक लिपिक
चंद्रपूर नगर महानगरपालिका चंद्रपूर

अस्थिरोग व प्रसूतिगृह | आय.सी.यु. | लेप्रोस्कोपी | जनरल सर्जरी | ट्रॉमा/हेड इंजरी सेंटर
अॅक्सीस बँकेच्या मागे, सिव्हील लाईन्स, नागपूर रोड, चंद्रपूर. फोन - 7558584264 (दवाखाना)
पेशंट तपासणी वेळ | सकाळ ११ ते ३ | सायंकाळ ६ ते ९ | २४ तास आकस्मिक सेवा

WASADE HOSPITAL
MULTI-SPECIALITY HOSPITAL

CHANDRAPUR CITY MUNICIPAL CORPORATION CHANDRAPUR



FROM 'C'
{See Rule 5}


CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3 OF THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1949

This is to certify that Shri./Smt. Dr. Manisha A. Khasade
has been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of Khasade Hospital
situated at Near Axis Bank, Civil lines, Chandrapur.
and has been authorized to carry on the said nursing home.


- ❖ Registration No. : 88/2011
- ❖ Date of Registration/Renewal : 01/04/2021
- ❖ Place : Chandrapur
- ❖ Beds : 60
 - a) Number of Maternity beds : 12
 - b) Number of other patient beds : 48
 - c) Total number of beds (a+b) : 60
- ❖ Date of issue of Certificate : 29/11/2021


This certificate of registration shall be valid upto 31st March 2024.




Health Officer
Chandrapur City Municipal Corporation,
Chandrapur

Note : This Certificate shall be displayed at conspicuous place in the Nursing Home.




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



M/S KAHALE TRADING CORPORATION

(An ISO 9001:2008 CERTIFIED COMPANY)

CORRESPONDANCE OFFICE ADDRESS:-KAHALE NIWAS BEHIND SAI MANDIR NEAR MAHARASHI SCHOOL CIVIL LINE,CHANDRAPUR 442401

FACTORY AT:- PLOT NO.B-16/1A,NEAR BHARAT GAS GODOWN,MAIN ROAD,MIDC, CHANDRAPUR

BRANCH :- PLOT NO.14,GEENTAJALI SOCIETY NEAR KACHORE LAWN SHAM NAGAR ,MANISH NAGAR NAGPUR 440015

Licensed Agency For Maharashtra Fire Services (Govt. Of Maharashtra)

Contact:- (Mr.Rahul Kahale)09970753977 (Mr.Abhijit Kahale) 09730617266

FORM B

[See Section 3(3) and rule 4(2)]

Six monthly Certificates to be given in every January and July by the owner or occupier for compliance of the Fire Prevention and Life Safety Measures.

CERTIFICATE

Certified that I/ We have carried out inspection of the Fire Prevation and Life Safety Measure installed in the following building or premises, namely:-

To,
Wasade Hospital
Civil Line
Chandrapur.
Dist: Chandrapur (M.S)

I/We further certify that these installation in the above mention buildings is/are maintained in good repair and efficient condition during the period **July- 2021 To December -2021**, as required under the provision of the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mha.III Of 2007).

The details of the inspection of installation carried out by me/us mentioned in the report appended herewith.

Place: Chandrapur

Period: July -2021 To December-2021

Name Address and License No. Of the Licensed Agency

M/s.KAHALE TRADING CORPORATION

Plot No. 630 Akashwani Road
Civil Lines , Chandrapur-442401

License No. MFS-LA/RF-395



Anil
Pundlikrao
o Kahale

Digitally signed
by Anil
Pundlikrao
Kahale
Date: 2022.02.11
15:31:48 +05'30'

DETAILED POSTAL ADDRESS & LOCATION

M/S KAHALE TRADING CORPORATION PLOT NO.630 AKASHWANI ROAD CIVIL LINES CHANDRAPUR;442401 (M.S)

- **Authorized Dealer & Services In**
- Fire Extinguishers/Authorized Fire Auditor By MFS
- Fire Hydrant Fire Alarm System Sales & Services
- HVW Flooding System
- Co2/DCP/FM200 Flooding System
- Authorized By MFS (Govt.Of Maharashtra)
- Approved Testing Station (Deptt.Of Explosives)



(Signature)

Principal

Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



WELCOME WASADE HOSPITAL

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Applications | Dashboard | Change Password | Industry Documents | Logout

Ticketing system has been rolled out for your convenience. Kindly find the guidelines here [Click here](#)

Bank Guarantee module has been rolled out for your convenience. Kindly find the guidelines here [Click here](#)

Select Unit:

All Units



Select Plant:

All Plants



Filter Applications

View Unit Information

My Applications

Sr No.	UAN No.	Application Name	Application IIN	Application Date	Amount	Documents
1	MPCB-CONSENT-0000112233	CONSENT		06-04-2021	Rs 45000	Documents Payments Download
2	MPCB-CONSENT-0000098161	CONSENT	100012036000	14-09-2020	Rs 25000	Documents Download

Status: In Process



Principal
Smt. Vimladevi College of Physiotherapy,
Wandhan, Chandrapur

Shri Gurukrupa Shikshan Prasarak Mandal

At. Wandhari, Post. Tadali,
Chandrapur - 442 406

Reg.No.: F - 11568 (NGP) under trust Act 1950

Reg.No.: MS/165/94/Nagpur under Society Act 1860



Ph.No.: (07172) 645601, 645691

Ref. No. :

Date : 03/10/2023

To,

Respected

Dr. Anup Wasade (MBBS, MD)

Wasade Nursing Home, Chandrapur

Subject :- Requirement for Consent of 50 Beds for proposed new Smt.
Vimladevi College of Physiotherapy, Wandhari Chandrapur.

Respected Sir,

With the reference to above mentioned subject, our society Shri Gurukrupa Shikshan Prasarak Mandal is willing to start a new Physiotherapy College and institute under medical education for that we are humbly requesting you to give us consent of 50 beds from your **Wasade Nursing Home, Chandrapur** for clinical teaching of BPTH students.

Respected Sir, our Shri Gurukrupa Shikshan Prasarak Mandal is already running Smt. Vimladevi Ayurvedic Medical College & Hospital Wandhari, Chandrapur from 2010 to serve the society by providing health care in rural area. At present we are running **100 bedded AELC NABH Accredited** ayurvedic hospital with all the equipped facility and resources along with MPCB accreditation, Bombay Nursing Home Act and Fire Permission.

Respected Sir, we want to upgrade and enhance our medical services towards poor people and society hence our society had taken initiative and decided to start a new Physiotherapy Institution "Smt. Vimladevi College of Physiotherapy" at our premises. We are humbly requesting you to issue us a **consent of 50 beds** from your **Wasade Nursing Home, Chandrapur** for teaching and learning process for this course.


Thanks and oblige.


Principal

Vimladevi College of Physiotherapy,


Wandhari, Chandrapur




President

Shri Gurukrupa Shikshan Prasarak Mandal

President
Shri Gurukrupa Shikshan
Prasarak Mandal, Nagpur
Reg. No. MH. 165/94



महाराष्ट्र MAHARASHTRA

2021

Notarial Regr.

Entry No. 3358

Date. 26/10/2023



MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding has been signed between “Smt. Vimladevi College of Physiotherapy” Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406

AND

Dr. Anup Wasade, MBBS, MD, Wasade Nursing Home, Opposite Axis Bank, Near Janta College, Civil Lines, Chandrapur - 442402.

This Memorandum of understanding has been signed with an objective to disseminate an advance knowledge by providing instructional, research & extension facilities in the field of medical sciences it may be deem fit & it shall endeavour to provide student & teacher the necessary atmosphere & facilities for promotion of innovation in education leading to restructuring of courses, new method of teaching & learning & internal development of personalities, inter disciplinary & multi disciplinary studies. Applied & advance knowledge with respect to hospital orientation.

Agreement

कार्यक्रम - ३

१. प्रकार / अनुच्छेद क्रमांक _____

२. मंजूर करणार आहेत का _____

३. मंजूर होणार असल्यास _____

४. राज्यातील कायद्याच्या नावात _____

५. विधानाचे नाव _____

६. विधानाचे रजिस्ट्रार _____

७. विधानाचे धारक/प्राप्तकर्ता _____ **Smt. Gurukrupa Shikshan Prasarak Mandal**

८. विधानाचे धारक/प्राप्तकर्ता _____ **64 - Santosh**

९. विधानाचे रजिस्ट्रार _____ **1001**

१०. विधानाचे धारक/प्राप्तकर्ता _____ **70710**

११. दिनांक _____ **06/12/23**

१२. विधानाचे धारक/प्राप्तकर्ता _____ **Om**

/ / 2 / /

The memorandum of understanding has been signed between PROPOSED "Smt. Vimladevi College of Physiotherapy" Wandhari, Chandrapur 442406 run by Shri Gurukrupa Shikshan Prasarak Mandal Wandhari, Ghugus Road Chandrapur 442406 as Party No. 1

AND


Dr. Anup Wasade, Wasade Nursing Home, Opposite Axis Bank, Near Janta College, Civil Lines, Chandrapur - 442402. Party No. 2 Dt. 03rd October 2023 & witness as under that.

That Party No. 2 is having 50 Bedded modern hospital units at Opposite Axis Bank, Near Janta College, Civil Lines, Chandrapur - 442402. & Party No. 1 is having a full fledged academic institution (proposed) degree course in Physiotherapy Wandhari, Ghugus Road Chandrapur 442406


That Party No.2 agreed to extend all necessary assistant to bonafide students of party no. 1 such as practical training, clinical posting etc by party No. 2

That this memorandum of understanding is valid for 5 years from the date of **03/10/2023** to **02/10/2028** & fresh memorandum of understanding can be made thereafter with mutual concern.

WITNESSES:


1. 
(Prayesh Ghadse)

Party No. 1


2. 

Party No. 2




President
Shri Gurukrupa Shikshan
Prasarak Mandal
Reg. No. MH 165/94

SIGNED BEFORE ME


26/10/2023
Mrs. S.S. Dubey, Advocate
NOTARY (Govt. of India) Chandrapur


Dr. Anup Wasade
M.B.B.S. MD (Med)
Reg. No. 2004/04/2153

CHANDRAPUR CITY MUNICIPAL CORPORATION
CHANDRAPUR

FROM 'C'

CERTIFICATE OF REGISTRATION/RENEWAL UNDER SECTION 3
THE MAHARASHTRA NURSING HOMES REGISTRATION ACT, 1949

This is to certify that Ms./Smt. DR. CHURHANGI ANUP WIRASDE
is been registered under the Maharashtra Nursing Homes Registration Act, 1949, in
respect of WIRASDE NURSING HOME

located at BY S/DI CONSERVATOR OF FOREST OFFICE CIVIL LINE
INDRAK ROAD, CHANDRAPUR
and is approved to carry on the said nursing home.

1) Name of the Nursing Home	<u>WIRASDE NURSING HOME</u>
2) Name of the Proprietor	<u>DR. CHURHANGI ANUP WIRASDE</u>
3) Address	<u>INDRAK ROAD, CHANDRAPUR</u>
4) Number of Maternity beds	<u>40</u>
5) Number of other patient beds	<u>10</u>
6) Total number of beds (a+b)	<u>50</u>
7) Date of issue of Certificate	<u>05.03.2021</u>



CHANDRAPUR CITY MUNICIPAL CORPORATION
CHANDRAPUR
MAHARASHTRA


This Certificate shall be displayed at conspicuous place of the Nursing Home





महाराष्ट्र MAHARASHTRA

Notarial Regr.
Entry No. 2821
Date 8/9/2023



-1 SEP 2023

AGREEMENT FOR HIRE OF CRUISER AMBULANCE

This agreement made this 29th day of August-2023 between Mr. Indersen Singh aged about 31 years, residing at C/O G-001 Balaji Enclave Apartment, Near Manomay Hospital Ram Nagar, Chandrapur (M.S.), owner of 1 Nos Cruiser Ambulance Bearing Registration No. MH-34AV0183 as a (Party-1), and Smt. Vimladevi College of Physiotherapy At Wandhari, Dist. Chandrapur (M.S) through its Principal Dr. G. Poornadevi Rao as (Party-2)

Where as the Party No.1 is the Owner of 1 Nos Cruiser Ambulance and where as on the request of Party No.2, the Party No.1 has agreed to give the aforesaid Cruiser ambulance on hire basis to the Party No.2 and the Party No.2 has agreed to take on hire on the terms and conditions hereinafter appearing.

Now this present witness as follow:-

1. The Party No.1 shall hired the above said Cruiser Ambulance and the Party No. 2 shall take on hire basis the said Ambulance from Party No.1 for a terms of 5 Years (60 months commencing from date of delivery of ambulance.

Continued-2

STAMP CLERK
TREASURY OFFICE, CHANDRAPUR

जाडपत्र-२

पुस्तकाचा प्रकार / अनुमोदक क्रमांक
दस्त नोंदणी करणार आहेत का
नोंदणी होणार असल्यास
दुय्यम निबंधक कार्यालयाचे नाव
मिळकतीचे वर्णन
मोबदला रक्कम
मुद्रांक विकत घेणाऱ्याचे नाव
दुसऱ्या पक्षकाराचे नाव
हस्ते असल्यास त्याचे नाव
मुद्रांक शुल्क रक्कम
मुद्रांक विक्री नोंद वही अनुक्र.
मुद्रांक विकत घेणाऱ्याची सही
देवराव आवळे स्टॅम्प विक्रेता, चंद्रपूर
जहाप क्र 1061 / 91 न.प.क्र 4801010

क्या राजा

राहुम सिंग

रु. 100/-

53889

दिनांक

7 SEP 2023

(Signature)

11211

2. The Party No.2 shall, during the continuance of this agreement, Pay to the Party No.1 without previous demand by way of Hire for the Hire of said Ambulance the monthly some of Rs. 35,000/ for said ambulance
3. The Party No.2 shall keep the Ambulance at all time in his possession and control at the location namely and it shall not be removed without prior written consent of the Party No.1.
4. The Party No.2 will bear all expenses including the running, maintenance cost , payment to drivers and cleaners , diesel Payment, payment to all taxes i.e. road tax etc.
5. All the disputed of civil nature shall be subject to the, jurisdiction of the courts in Chandrapur only

In witness whereof the parties hereto have executed the presents, the date, months and year first therein above mentioned.

Date:-

Place:-CHANDRAPUR

Rahul Indersen Singh

(Signature)
PARTY NO.1


Witness:-

1. *(Signature)* (Pravesh Yadav)
C.R.E Chandrapur

2. *(Signature)* (Pravesh Ghadse)


SIGNED BEFORE ME


(Signature)
8/9/2023
Mrs. S.S. Dubey, Advocate
NOTARY (Govt. of India) Chandrapur



(Signature)
Smt. Vimladevi College of Physiotherapy
(Principal)
PARTY NO.2

Principal
Smt. Vimladevi College of Physiotherapy
Wandhant, Chandrapur






महाराष्ट्र MAHARASHTRA

32AA 679067

Notarial Regr.
Entry No. 2859
Date 13/9/2023



AGREEMENT FOR HIRE OF BUS (REGD NO. MH40Y7334)

This agreement made this 10th day of Sep-2023 between Mr. Rahul Singh S/o Shri. Indersen Singh aged about 31 years, residing at C/O G-001 Balaji Enclave Apartment ,Near Manomay Hospital Ram Nagar , Chandrapur (M.S.), owner of 1 Nos Bus Bearing Registration No. MH-40Y7334 as a (Party-1), and Smt. Vimladevi College of Physiotherapy At Wandhari, Dist. Chandrapur (M.S) through its Principal Dr. G. Pournadevi Rao as (Party-2)

Where as the Party No.1 is the Owner of 1 Nos BUS and where as on the request of Party No.2 , the Party No.1 has agreed to give the aforesaid BUS on hire basis to the Party No.2 and the Party No.2 has agreed to take on hire on the terms and conditions hereinafter appearing.

Now this present witness as follow:-

1. The Party No.1 shall hired the above said BUS and the Party No. 2 shall take on hire basis the said BUS from Party No.1 for a terms of 5 Years (60 months commencing from date of delivery of BUS.

Continued-2

जाडनत्र-१

दस्तावेजा प्रमाणित करणेचे क्रमांक.....

दस्ता नोंदणी करणार आहेत का..... उरार नाही

नोंदणी होणार असल्यास.....

दुय्यम निबंधक कार्यालयाचे नाव.....

भिककतीचे वर्ग.....

भोववला रक्कम.....

मुद्रांक विकत घेणाऱ्याचे नाव..... राहुल इंदरसेन सिंग

मुद्रांक पत्रकाराचे नाव.....

हस्त असल्यास त्याचे नाव.....

मुद्रांक शुल्क रक्कम रु. १०००

मुद्रांक विक्री नोंद वही अ.क्र. ५६३४ दिनांक.....

मुद्रांक विकत घेणाऱ्याची सही.....

देवसव आवळे स्टॅम्प विक्रेता, चंद्रपूर.....

दस्ता प्र. १०६१ / ०१ न प क ४८०१०१०

12 SEP 2023

(2)

2. The Party No.2 shall, during the continuance of this agreement, Pay to the Party No.1 without previous demand by way of Hire for the Hire of said BUS the monthly some of Rs. 35,000/ for said BUS.
3. The Party No.2 shall keep the BUS at all time in his possession and control at the location namely and it shall not be removed without prior written consent of the Party No.1.
4. The Party No.2 will bear all expences including the running , maintnace cost , payment to drivers and cleaners , diesel Payment, payment to all taxes i.e. road tax etc.
5. All the disputed of civil nature shall be subject to the, jurisdiction of the courts in Chandrapur only

In witness whereof the parties hereto have executed the presents, the date, months and year first therein above mentioned.

Date:-

Place:-CHANDRAPUR

Rahul Indersen Singh

R Singh
PARTY NO.1

SIGNED BEFORE ME

S.S. Dubey
13/9/2023
Mrs. S.S. Dubey, Advocate
NOTARY (Govt. of India) Chandrapur

[Signature]
Smt. Vimladevi College of Physiotherapy
(Principal)

PARTY NO.2
Principal
Smt. Vimladevi College of Physiotherapy
Wandhari, Chandrapur


Witness:-

1.





**MAHARASHTRA STATE GOVERNMENT
CERTIFICATE OF REGISTRATION**




Form 23A


Regn. No. MH40Y7334 **MH22176722**

Regd. Owner	RAHUL SINGH		
S/D/W of	INDERSEN		
Purpose	TO		
Regn. Date	08/10/2013		
Colour	NA		
Fuel	DIESEL		
Vehicle Class	Bus - TR		
Body Type	BUS		
Manufacturer	TATA MOTORS LTD		
Chassis No.	MAT752002D8G22362		
Engine No.	497TC73GWY837729		
Model No.	LP07 5/BSIII/BUS/		
Hypothecated To			
Manufacturing Dt.	07/2013	No. Of Cyc	04
Seat Capacity	035	Owner Serial	03
Stand. Capacity	00	Unladen Wt	003215
Tax Paid Up To	See Tax Rcpt	Cubic Capacit	003783
Regd. Validity	See F Cert	Wheel Base	000000
Address	G-001, BALAJI ENCLAVE APPARTMENT DATARA ROAD, NEAR MANOMAY HOSPITAL ZADE LAYOUT, RAMNAGAR Chandrapur MH442401	R.L.W	009600

DY RTO CHANDRAPUR
Issuing Authority


Signature Of Issuing Authori




Principal
Smt. Vimladevi College of Physiotherapy,
Wandhari, Chandrapur



Go Digit General Insurance Ltd.

Digit Commercial Vehicle Package Policy - Passenger Carrying Vehicle

Schedule/Certificate

UIN No.: IRDAN158RP0002V01201819

Name	HANSA VAHAN INDIA PVT LTD	Vehicle Registration No.	MH40Y7334
Address	X-273 MIDC BUTIBORI NAGPUR,NAGPUR,NAGPUR 441108,Nagpur-441108	Partner Name	ANSH NILESH BARBATE
Mobile	xxxxxxxx0010	Partner Code	1051472
Email	sxxxxxxxxxe@gxxxl.com	Partner Email	anshbarbate14@gmail.com
Aadhar No.	--	Partner Mobile No.	--
		PAN (POSP)	FBWPB1907D
		For claims,contact us at	1800-258-5956

YOUR POLICY DETAILS

Policy No.	D082960094 / 22112022	Policy Issue Date	22-Nov-2022	Invoice Date	22-Nov-2022
Period of Policy	From 23-Nov-2022 00:00:01 To 22-Nov-2023 23:59:59	NCB % (Current Policy)	0 %	Policy Type	Public Carrier
Compulsory Deductible	1000	Voluntary Deductible	--		

YOUR VEHICLE DETAILS

Make	TATA	Trailer Reg. No.		RTO Location	Nagpur,MAHARASHTRA
Model/Vehicle Variant (Sub-Type)	LPO 7.5 T Starbus Ultra/34 Seater/Diesel	Year of Regn. / Manufacturing	2013 / --	Licensed Seating Capacity	35
Engine No.	497TC73GWY837729	Chassis No.	MAT752002D8G22362	Cubic Capacity	3738 CC
Fuel Type	Diesel	Gross Vehicle Weight	7700KG	Vehicle Body Type	Low Floor City Bus Non
Goods Type	--	Permit Type	Public Carrier	Wheels	6
Odometer	FASTag Number NA	Financier Details			

FASTag NUMBER DECLARATION

The Policy has been issued subject to your affirmative declaration that a valid FASTag has been affixed on the insured vehicle.

YOUR VEHICLE IDV (THE MAXIMUM MONEY YOU CAN GET IN CASE OF A CLAIM)

Vehicle IDV (₹)	IDV of Electrical Accessories (₹)	IDV of Non-Electrical Accessories (₹)	CNG/LPG KIT IDV (₹)	Trailer IDV (₹)	Body IDV (₹)	Total IDV (₹)
549000	--	--	--	--	--	549000.00

ADD-ONS (THE EXTRA COVERAGE FOR YOUR VEHICLE)

Add Name	Other details	
OWN DAMAGE PREMIUM [A] (₹)	LIABILITY PREMIUM [B] (₹)	
Own Damage Premium (₹)	499.85	Basic Third-Party Liability (₹)
Add-Ons Premium (₹)	0.00	PA cover for Owner-Driver (₹)
NCB Discount Amount (₹)	-0.00	
		Legal Liability to Paid (₹) Driver (Persons:1)
		Legal Liability to Paid (₹) Cleaner (Persons:1)
Total OD Premium (₹)	499.85	Total Act Premium (₹)
Net Premium [A+B] (₹)		
CGST @ 9% = (₹4028.48) + SGST/UTGST @ 9% = (₹4028.48)		
Total Premium (₹)		52817.81

This policy is issued on the basis of declaration provided by you that the Vehicle shall only be used for the purpose of Carrying employees and/or staff of the organization/entity for travel to workplace from residence and vice versa. Any deviation in usage of this vehicle other than what has been declared, shall amount to misrepresentation and Insurer shall have the right to cancel the policy and/or reject any claim on above stated gross violation.

Note: The above total OD premium is inclusive of all applicable loading / discounts viz (automobile association memberships, voluntary excess, anti-theft handicap person, driver tuition, fiber glass, CNG/ LPG unit, geographical extension, imported vehicle etc., wherever applicable).

If the "Own Damage Cover" under your policy is cancelled during the policy period, then your policy shall be governed by the standard terms and conditions of "Act only" policy for the Third Party Cover during the remaining period of policy.

ENDORSEMENT

Invoice Number	Invoice Date	Net Premium	Igst	Cgst	Sgst	Utgst	Cess	Gross Premium
IA080084493	2022-11-22	44760.85	0.00	4028.48	4028.48	0.00	0.00	52817.81

Policy No: D082960094

Page No: 1 of 2

Go Digit General Insurance Ltd. Address: Atlantis, 95, 4th B Cross Road, Koramangala Industrial Layout, 5th Block, Bengaluru, Karnataka 560095, IRDAI Reg No. 158 CIN U66010PN2016PLC167410, GST Reg. No.: 27AACCO4128Q1Z0 HSN: 997134/General Insurance Services, GSTIN Address: Nagpur Business Centre, The Edge, 4th Floor, WHC Road, Above Equitas Bank, Shankar Nagar, Nagpur, Maharashtra, PIN-440010



Principal

Smt. Vimaladevi College of Physiotherapy,
Wandhari, Chandrapur